

PRODUCT AND SERVICE GUIDE

EFFECTIVE MARCH 2024

Supersedes October 2020

HOBART

Ph 03 6262 8788

Order Related

Issues Number:

0401 001 899

email Hobart orders:

hobartorders@stramit.com.au

CONTACT US

How can we help you?

Customer Service, Sales and all General Enquiries

To place an order, request a quote, or receive tailored customer support, please contact your local branch.


Check the locations page opposite for the phone number and address of your nearest Stramit branch.

For general enquiries, email contactus@stramit.com.au

For order enquiries, email orders@stramit.com.au

Technical Services

For specification and technical support, email techsupport@stramit.com.au



SERVICE LOCATIONS

The Stramit web page can be found at stramit.com.au.
 Details of many Stramit® products can also be seen on the AIA site
 'Product Selector' selector.com.au or SteelSelect.com.au.

REGION	LOCATION	CONTACT DETAILS	ORDER CUT-OFF TIMES ²	SHED BUNDLE LEAD TIME ³	PICK-UP HOURS ⁴
			STANDARD DELIVERY		
NSW & ACT	SYDNEY 33-83 Quarry Rd, Erskine Park NSW 2759	Ph 02 9834 0909	4pm	21 Days	7am - 4pm
	CANBERRA 4 Bass St, Queanbeyan NSW 2620	Ph 02 6298 2500	4pm	21 Days	7am - 4pm
	COFFS HARBOUR 6 Mansbridge Dr, Coffs Harbour NSW 2450	Ph 02 6656 3800	4pm	21 Days	7am - 4pm
	NEWCASTLE TBA	Ph 02 4041 3400	4pm	21 Days	N/A
	ORANGE 51 Leewood Dr, Orange NSW 2800	Ph 02 6360 9200	4pm	21 Days	7am - 4pm
VIC	MELBOURNE 3/1464 Ferntree Gully Rd, Knoxfield VIC 3180	Ph 03 9237 6300	4pm	12.30pm	7am - 4pm
	ALBURY 18 Ariel Dr, Albury NSW 2640	Ph 02 6092 3700	4pm	21 Days	7am - 4pm
	BENDIGO Lot 7-9 Ramsay Court, Kangaroo Flat VIC 3555	Ph 03 5448 6400	4pm	21 Days	7am - 4pm
TAS	HOBART 57 Crooked Billett Dr, Brighton TAS 7030	Ph 03 6262 8788	4pm	21 Days	7am - 4pm
SA	ADELAIDE 11 Stock Rd, Cavan SA 5094	Ph 08 8219 20001	4pm	21 Days	7am - 4pm
South QLD	BRISBANE 57-71 Platinum St, Crestmead QLD 4132	Ph 07 3803 9999	4pm	12.30pm	7am - 4pm
	MARYBOROUGH 10 Activity St, Maryborough QLD 4650	Ph 07 4123 9500	4pm	21 Days	7am - 4pm
	ROCKHAMPTON 41 Johnson St, Parkhurst QLD 4702	Ph 07 4921 5600	4pm	21 Days	7am - 4pm
North QLD	CAIRNS 53 Vickers St, Edmonton QLD 4869	Ph 07 4034 6555	4pm	21 Days	7am - 4pm
	TOWNSVILLE 402-408 Bayswater Rd, Garbutt QLD 4814	Ph 07 4412 3900	4pm	21 Days	7am - 4pm
WA	PERTH 605-615 Bickley Rd, Maddington WA 6109	Ph 08 9493 8800	4pm	12.30pm	7am - 4pm

¹ Business days only (excludes weekend and public holidays).

² Days only (excludes weekend and public holidays). Standard 48hr Delivery refers to order cut-off times for standard lead-time products as defined in our Product and Services Guide. Please be aware that some products have minimum lead times that may exceed these lead times. Please check the product listing in our Product and Services Guide or check with your local branch when placing order.
 Additional charges may apply. Check with your local branch for capacity when ordering.

Our service proposition is based around available manufacturing capacity on any given day. Demand can fluctuate and impact lead times. Please check with your local branch when placing your order.

This Service Offer excludes large orders related to Commercial projects or Consolidated Shed orders.


* Registered trademarks of Stramit Corporation Pty Limited. ABN 57 005 010 195 trading as Stramit Building Products. A member of the Fletcher Building Group. TRUECORE®, COLORBOND®, ZINCALUME® and * colour names are registered trade marks of BlueScope Steel Limited.™ colour names are trade marks of BlueScope Steel Limited. ABN 16 000 011 058. © Stramit Corporation Pty Limited. This information is accurate at March 2024.

This document replaces all previous issues. Please destroy, or clearly mark as superseded, all previous issues. STR070_MAR24.

CUSTOMER PORTAL

Keeping up to date with your order, made simple.

Our secure Customer Portal gives you access to the status of your orders whenever, and wherever, you need an update. The portal lets you track your orders live, from the time our Customer Service team enters it, through processing and manufacturing, while it's being picked and packed and when it's out for delivery to you.



As an account customer, our portal allows you to:

- Track your order in real time
- Search current and historical orders to see related information
- Download your order confirmations
- See order details in granular detail
- Download Proof of Delivery (PODs)
- View Estimated Time of Arrivals (ET As) for your deliveries
- See when an order is Ready to Pick Up
- Share the order tracking with another party, e.g. an installer or end customer

Designed to make doing business easier with Stramit, the Customer Portal is available on any internet connected device and only requires registration - no downloads needed.

Register your interest today at:

<https://www.stramit.com.au/resources/design-software/stramit-customer-portal/>

ORDERING

For Trade and Account Customers seeking takeoffs and quotes, please send drawings and information to: takeoffs@stramit.com.au

Please contact and email all your orders through to your local branch.

For Purl in Orders, please also send through your drawings and NC Files to your local branch to aid in order accuracy.

For Flashings Orders, we require drawings to ensure accurate manufacturing of your products. Please email your drawings through when placing your order. You can find our Flashing Order Form on our website under **Resources**.

All products manufactured or purchased specifically to your requirements cannot be returned. Stock items may be returned for credit, although restocking fees will apply.

For Order Pickups, please refer to our Loading Requirements Guide on our website under **Resources**.

INDEX

PRODUCTS AND SERVICE GUIDE		STRUCTURAL COMPONENTS	
Delivery to Site Instructions	2	Stramit® Purlins and Girts	46
Flashing Detail Order Form	3	Stramit® Exacta Purlins	47
Stramit® Purlins & Bridging Order Pads	4-6	Stramit® Zam Coated Purlins	47
Important Notice	7	ZAM High Durability Purlins	48-49
Standard Delivery Charges	8	Stramit® Custom Sections	49
Delivery Information	9	Stramit® Bridging & Accessories	50-51
Loading Requirements	10-11	Stramit Condeck & PrimeForm HP® composite decking	52
Product Availability – Finish and Colour	12	Stramit® Framing, Stramit® Top Hats, Builders Strapping	53
Care & Maintenance	13	Stramit® Flooring	54
Quick Roofing Estimate	14	Patio Roofing Decking	55
Selecting Your Product – Cover, Spans & Pitch	15	Colorbeam	56-57
ROOFING, CLADDING & ACCESSORIES		ROLLER DOORS AND ACCESSORIES	
Stramit® Corrugated	16	Residential and Light Industrial Roller Doors	58
Stramit® Curving Quality – Corrugated & Tank Iron	17	Residential Roller Doors	59
Stramit Monoclad®	18	Residential Sectional Doors	60
Stramit Longspan®	19	Residential Sectional Door Installation	61
Stramit SharpLine®	20	Novataur Residential, Commercial Roller Doors &	
Stramit Speed Deck® 500	22	Personal Access (PA) Doors	62
Stramit Speed Deck Ultra®	22	Roller Door Accessories	63
Translucent Roof Sheeting – suit Stramit® Roofing	23	Roller Door Product Warranty	64
Stramit Mini Corry®	24	PREMIUM PRODUCTS	
Stramit K-Panel®	24	Stramit® Roofing, Cladding & Accessories	27-28
Stramit Monopanel®	25	Stramit® MagnaFlow® – Roofing, Cladding, Rainwater	29
COLORBOND® steel	26	Stramit® Fascia, Gutters & Accessories	38
Stramit Uniguard® Fire Resisting Wall System	30	FENCING PRODUCTS	
General Accessories + PA Doors	31	Stramit® Fencing & Accessories	65-66
INSULATING PRODUCTS		TERMS AND CONDITIONS OF SALE	
Foil – Blanket – Batts – Wire Mesh	32		68-71
METAL FASCIA, GUTTER, DOWNPIPE & ACCESSORIES		PRICING GENERAL	
Stramit® Fascia	33	DELIVERY CHARGE – Refer P 8 – Standard Delivery Details.	
Stramit® Quad 115	34	RETURN OF GOODS – Stock line items may be returned for Credit, subject to the following charges:	
Stramit® Fascia Gutter	35	i) Where goods are returned by Customer a re-stocking fee of 20% is applicable. (Minimum charge \$20).	
Stramit® Easiflow Gutter	35	ii) Where goods are picked up by Stramit for return, Standard Delivery charges plus a re-stocking fee of 20% are applicable. (Minimum charge \$30).	
Stramit O-Gee™ Gutter	36	Non stock items, such as cut-to-length products are not returnable to Stramit. Naturally where Stramit is at fault, freight or re-stocking fees would not be applicable and a full credit given. Refer Terms and Conditions of Sale on inside back cover.	
Flat Back Gutter 133, Half Round Gutter 150	37		
Stramit® Downpipe & Offsets Round Rectangular	35		
Downpipe & Offsets Round	39		
CUSTOM FLASHINGS			
Stramit® Custom Flashings – Ordering Procedure	41		
Stramit® Custom Flashings & Flat Sheet	42-45		

Handling & Storage Roofing & Cladding sheets when stored on site must be kept dry by storing under cover. Wet storage stains can occur from condensation, even in dry weather.

Technical details displayed in this book are a guide only. For further information please consult the relevant Stramit Technical Manual.

Delivery To Site Instructions

Customer Name: _____

Project Name: _____

Delivery Address: _____

Site Phone Number: _____ Map Ref: _____

Contact person: _____ Mobile phone: _____

1. Kilometres to nearest town: _____ KLMS
to _____

2. Site is: Rural House Commercial Industrial

3. Site access surface is: Bitumen Gravel Dirt/Grass

4. Does rain affect access to property: Yes No

5. Does peak hour traffic affect delivery: Yes No

6. Is the site affected by clearways: Yes No

7. Does the site have semi-trailer access:
e.g. is there sufficient hard area to effect a 360 degree turn? Yes No


8. Are there powerlines/trees close to the site:
e.g. restricting use of a truck mounted crane? Yes No

9. Unloading method: Crane on site Forklift
 Truck mounted crane (HIAB) By hand

10. Any other details that may assist driver

Sketch map to site

Show distance from nearest town, main road and/or closest intersection



Please note: delivery will be made by a semi trailer which at a minimum will be 18.7 metres long, 2.6 metres wide and may weigh up to 38 tonne gross.

Should delivery not be possible due to lack of information a redelivery charge may apply.



FLASHING DETAIL

						CO: _____																	
Customer code: _____						SPA																	
Customer: _____						Delivery address: _____																	
Cust O/N: _____						Special instructions: _____																	
Date ordered: _____						Your ref: _____																	
Product Code			Girth			Gauge			Product Code			Girth			Gauge								
Qty.	Length mm	Fold	Finish			Qty.	Length mm	Fold	Finish			Qty.	Length mm	Fold	Finish								
Mark Number						C F Taper (Length)						Mark Number						C F Taper (Length)					
Product Code			Girth			Gauge			Product Code			Girth			Gauge								
Qty.	Length mm	Fold	Finish			Qty.	Length mm	Fold	Finish			Qty.	Length mm	Fold	Finish								
Mark Number						C F Taper (Length)						Mark Number						C F Taper (Length)					

Mark all dimensions and specify degree of angles for all bends on the drawing.

Indicate side of colour with an arrow. Remember to read back the order.

Maximum length: 8,000m Minimum fold: 10mm







Freight Charge	FRSTOR	SITE	FSDC	\$	Page 1 of
----------------	--------	------	------	----	-----------

Customer _____ Project _____

Delivery address _____

Bridging System
Rod & Strut/
Stramit Bridging

Del. Date	Finish	Drawn	Date

INTERMEDIATE FIXED BRIDGING ASSEMBLIES	Instructions				
	Part No. No.	Bracket Size	Purlin Centres	No. Reqd.	Mark No.
 Part No. 001					
 Part No. 002					
 Part No. 003					
 Part No. 004					
 Part No. 005					
 Part No. 006					
Purlin Size No. Reqd.					

INSTALL BRIDGING IN DIRECTION OF LOCATOR

RIDGE/INTERMEDIATE BOLTED BRIDGING ASSEMBLIES

▼ Adjustable ▼ Fixed

 Part No. 007		 Part No. 008	
 Part No. 009		 Part No. 010	
 Part No. 011		 Part No. 012	
 Part No. 013		 Part No. 014	
 Part No. 015		 Part No. 016	
 Part No. 017		 Part No. 018	

FASCIA BRIDGING ASSEMBLIES

Fascia Size _____




 Part No. 019	
 Part No. 020	
 Part No. 021	
 Part No. 022	
 Part No. 023	

Customer _____ Project _____

Delivery address _____

Bridging System
Rod & Strut/
Stramit Bridging

Del. Date	Finish	Drawn	Date

GIRT STOOL/FOOT ASSEMBLIES	Part No. No.	Bracket Size	Purlin Centres	No. Reqd.	Mark No.
 Part No. 024					
 Part No. 025					
 Part No. 026					
Raking Girt Bracket 	No. Reqd. <input type="text"/>				
Tie Rod Angle 	No. Reqd. <input type="text"/>				
Tie Rod Assemblies 	Size	Length	No. Reqd.	Mark No.	

GIRT HANGER ASSEMBLIES

▼ Turnbuckle ▼ Tie Rod

 Part No. 027		 Part No. 028	
 Part No. 029		 Part No. 030	
 Part No. 031		 Part No. 032	

General Purpose Bracket

Purlin Size	No. Reqd.

Angle Connector

Purlin Size	No. Reqd.

Clamp Plate

Purlin Size	No. Reqd.


Customer _____ Project _____

Delivery address _____


Del. Date	Finish	Drawn	Date
-----------	--------	-------	------

**Purlin Section
C/Z**


	Mark No.	Overall Length	No. Required	Hole Centres (d)						Total Metres
				40	60	70	110	160	210	
As Drawn										
Opp. Hand										



	Mark No.	Overall Length	No. Required	Hole Centres (d)						Total Metres
				40	60	70	110	160	210	
As Drawn										
Opp. Hand										



	Mark No.	Overall Length	No. Required	Hole Centres (d)						Total Metres
				40	60	70	110	160	210	
As Drawn										
Opp. Hand										



Indicate web, flange holes and dimensions from hole to hole Standard holes: 18mm x 22mm slots.

IMPORTANT NOTICE

It is the Customer's responsibility to advise Stramit at the time of ordering if the order is for COLORBOND® Ultra steel or COLORBOND® Stainless steel or COLORBOND® steel Matt.

EG. To order COLORBOND® Ultra steel Surfmist® the order must clearly state **COLORBOND® Ultra steel in Surfmist®.**

Unless this notification is made at the time of order (in writing) then the order **will be supplied as COLORBOND® steel (XRW).**

This publication sets out Stramit's recommended retail prices and Stramit's standard supply terms. Resellers of Stramit products are under no obligation to follow Stramit's recommended retail pricing.

EG. An order for **SURFMIST®** will be supplied as **COLORBOND® STEEL (XRW) IN THE COLOUR SURFMIST®** IN ALL INSTANCES UNLESS IDENTIFIED OTHERWISE.

This publication sets out Stramit's standard supply terms. Resellers of Stramit products are under no obligation to follow Stramit's recommended retail pricing.

COLOUR NAMES

BAS Basalt®	IST Ironstone®	SHG Shale Grey™
CLC Classic Cream™	JAS Jasper®	SUR Surfmist®
COV Cove®	MGV Mangrove®	TRN Terrain®
CTG Cottage Green®	MNR Manor Red®	WDG Woodland Grey®
DOC Deep Ocean®	MON Monument®	WLB Wallaby®
DUN Dune®	NTS Night Sky®	WSP Windspray®
EVH Evening Haze®	PEC Pale Eucalypt®	GAL Galvanised
GLY Gully®	PPB Paperbark® (Merino)	ZA ZINCALUME® steel

STANDARD DELIVERY CHARGES

1. Any customer who has exceeded their Credit Limit or whose payments are overdue may experience delays in the manufacture and delivery of goods ordered.
2. Due to transport limitations the maximum length of rainwater goods is 8.5m.
3. Customers/receivers are responsible for unloading. Stramit's terms are "On lorry at site or store".
4. **UNATTENDED SITES – Stramit drivers will endeavour to effect delivery as close to site as possible. In these instances Stramit will not accept claims for damage to product during unloading nor claims for pilfering of part or all of the delivery made.**

Product Length / Delivery Cost Guide

LENGTH	CODE	COST PER DELIVERY	ESCORT REQ'D	AREA
Up to 8.000m	FRSITE	\$148	-	
8.001 - 15.000m	FR4SITE15	\$POA	-	
15.001 - 19.800m	FR4SITE198	\$POA	-	
19.801 - 21.500m	FR4SITE215	\$POA	-	
21.501 - 24.200m	FR4SITE2425	\$POA	-	
Freight store	FRSTORE	\$36	-	
Special delivery	FRSPEC	POA	-	
Roller doors	FR4RDTAS	POA	-	
Curved Sheets over 7m or 90°	FRSPEC	POA	-	
Shed Consolidation Fee	SHEDCONFEE	\$65.00		

The rates shown are for delivery in normal business hours.
Deliveries outside normal business hours, or at weekends - POA

Packaging

Standard packs will be used. If special packing is required by customer, additional cost will be placed on the customer's account.

Timber Crates

Rainwater, Sheeting + Flat Sheet Crate \$15.00 per lin metre. Maximum length 6 metres.

Escort Costs

*Escort charges depend on the length of product transported and are additional to Delivery Charge POA.

Hi-Ab Facility

Hi Ab deliveries cannot be guaranteed on all consignments.
If a Hi Ab must be used please discuss with Stramit staff at time of order placement.

(please note this facility is additional to other charges)

Ordering Product

Order close off is 4.00 pm for 48 hour product.
(Made to measure roofing and rainwater products will be **delivered 48 hours**).
ORDERS PLACED AFTER THESE DEADLINES WILL BE TREATED AS ORDERS BEING RECEIVED THE NEXT DAY.

Demurrage

Unloading at customers premises or site in excess of one(1) hour will be charged at the rate of **\$70** per hour or part thereof.

Redelivery

Product refused at the original delivery and requested to be redelivered will incur a minimum charge of **\$150** over and above the standard delivery charges.

Prices in this Product & Service Guide DO NOT include GST.

DELIVERY INFORMATION

Specific Delivery Times

Specific delivery times can be arranged when placing the order. Simply request an "on site time" and your delivery time and day will be confirmed. Special delivery times outside normal working hours will incur additional charges and these should be established at the time of placing the order.

Crane Offs must be specified and pre-arranged.

Requests for tray truck deliveries may be subject to longer lead time or special prices. Over dimensional vehicle deliveries before 10.30am are subject to time and weather prohibitions beyond our control.

Special requests for delivery outside these times will incur charges. (POA)

Minimum Purchase Surcharge

Invoices less than \$100 including GST will incur a surcharge of \$25 per invoice plus GST.

Delivery Conditions

All deliveries will be in accordance with local Council or site requirements.

Driver is solely responsible for unloading if:

- Can be handled by the driver alone.
- Can be craned off to ground level using truck mounted crane (**max product length 13.7 metres**).

Customer responsible for unloading if:

- Product over 13.7 metres long.
- Product exceeds truck mounted crane reach and loading.
- **Customer supplied safe lifting device MUST be used.**

Product Return

Product that has been manufactured or purchased specifically to your requirements CANNOT be returned.

Stock line items may be returned for credit, subject to the following charges:

- Where goods are returned by the customer, a re-stocking fee of 20% (\$20 minimum) is applicable.
- Where goods are picked up by Stramit for return, standard delivery charges plus a re-stocking fee of 20% (\$31 minimum) are applicable. **Damaged goods will not be accepted for credit.**

Customer Pick Ups

CUSTOMER PICK-UPS

Our factory is open for customer pick-ups on weekdays between the hours of 7am and 4pm. Prior arrangements for pick-ups must be made with our sales office. Where the customer arranges his own carrier, all charges must be direct to the customer's account. Stramit will not accept charges from carriers unless agreed with the customer at the time of placing the order.








Refer to Terms & Conditions on inside back cover.

LOADING REQUIREMENTS



OVERHANG LIMITS

THE DRIVER'S VISION MUST NOT BE OBSTRUCTED



A 450MM SQUARE BRIGHT RED FLAG IS REQUIRED ON ANY OVERHANG THAT CANNOT BE EASILY SEEN (MANDATORY BEYOND 1200mm)

LOADING REQUIREMENTS




SECURE YOUR LOAD!

DO NOT USE OCCY STRAPS OR FLEXI STRAPS

Minimum 2 lashings per stack for items longer than 750 mm.

Recommended Minimum Lashing 1.5m apart



*SEE THE TRANSPORT SAFETY GUIDELINE OWNER PICK UPS FOR FURTHER INFORMATION

VEHICLES CONSIDERED INAPPROPRIATE CANNOT BE LOADED!
YOUR SAFETY IS OUR CONCERN

The information presented is for guidance only and compliance with applicable laws and standards remains your responsibility

Table 1 - Lashing Requirements

Lashing Angle to Horizontal \angle	25 mm hand tightened webbing	25 mm ratchet webbing	35 mm ratchet webbing	8 mm synthetic rope with single hitch
60 to 90°	52 kg per strap	170 kg	430 kg	87 kg per rope
45 to 60°	46 kg per strap	140 kg	350 kg	71 kg per rope
30 to 45°	30 kg per strap	100 kg	250 kg	50 kg per rope
15 to 30°	15 kg per strap	52 kg	130 kg	26 kg per rope

Key Assumptions in Tables 1

- All lashings are fully tensioned. If not, then more lashings may be required.
- No low friction surfaces (e.g. steel on steel, plastic on plastic, plastic on steel, etc.)
- A minimum static coefficient of friction of $\mu = 0.40$ is achieved under all products and between layers of a load. (e.g. rubber or timber against steel or plastic).
- Round loads require belly wrapping and extra restraints.

PRODUCT AVAILABILITY – FINISH & COLOUR

Product	BMT mm	ZA	GAL Z275	GAL Z450	GAL Z600	BAS	CLC	COV	CTG	DOC	DUN	EVH	GLY	IST	JAS	MGV	MNR	MON	NTS	PEC	PPB	SHG	SUR	TRN	WDG	WLB	WSP	
Stramit Speed Deck Ultra® 700	0.42	+		+		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
	0.48	+				+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Stramit Speed Deck® 500	0.42	▲				▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
	0.48	✓		▲		▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
	0.60	▲																										
Stramit® Corrugated/Monoclad®	0.42	✓	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.48	✓				+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Stramit® Curving Quality	0.60	+	+			+		+					+			+	+	+	+	+	+	+	+	+	+	+	+	
Tank Iron Z600	0.60					+																						
Aquaplate® Z275	0.60					+															+	+						
Stramit Longspan®	0.42	+	+			+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
	0.48	+				+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Stramit Monopanel®	0.48	+				+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Stramit Minirib™	0.42	▲				▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
Stramit Mini Corry®	0.42	▲				▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
	0.48	▲				▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
Stramit K-Panel®	0.35	✓				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Fascia Board	0.42	✓	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Standard Flashings	0.55	✓	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	0.75	✓																										
	0.95		✓																									
Stramit® Roll Top Ridge	0.42	✓	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Stramit® Fascia Gutter/ Fascia Capping	0.42	+	+			+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Stramit® Easiflow Gutter	0.42																											
	0.48	✓				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Stramit O-Gee™	0.55	+	+			+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Stramit® Quad 115 - Vic Pattern	0.42	✓	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Stramit® Half Round Gutter	0.55	+				+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Stramit® Flat Back Gutter	0.55	✓				+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Stramit® Downpipe - Rect/Round	0.40	✓	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Stramit® Valley/Vee Ridge	0.40	✓	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Stramit® Garage Barge	0.48	+	+			+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
	BMT mm	ZA	GAL Z275	GAL Z450	GAL Z600	BAS	CLC	COV	CTG	DOC	DUN	EVH	GLY	IST	JAS	MGV	MNR	MON	NTS	PEC	PPB	SHG	SUR	TRN	WDG	WLB	WSP	

FIBREGLASS COLOURS			POLYCARB COLOURS		
CLR	Clear		CLR	Clear	
OPA	Opal		GRY	Grey	
HGN	Haze Green		OPL	Opal	
			LBZ	light Bronze	
			DKT	Dark Tint	


BMT – Base Metal Thickness.
For Premium Products (COLORBOND® Ultra steel, COLORBOND® Stainless steel, COLORBOND® Metallic steel or COLORBOND® steel Matt) availability and all other enquiries on non standard colour range – please check with your local Stramit office. Other colours available - subject to lead times and minimum quantities.

- ✓ Normal stock item
 - ▲ Available on extended lead times, subject to minimum quantities.
 - Colours available for specific projects subject to minimum quantities
 - +
- Product available ex Melbourne - check for delivery costs, especially on long lengths

COLORBOND® STEEL / ZINCALUME® STEEL – CARE & MAINTENANCE

- ### Hints and tips to achieve maximum life from your COLORBOND® steel / ZINCALUME® steel product.
- COLORBOND® steel / ZINCALUME® steel used in areas not washed by rainfall should be cleaned down at regular intervals.
 - Brick cleaning acid must not be allowed to contact steel fascia, gutter or roofing and walling.
 - Never immerse COLORBOND® steel / ZINCALUME® steel in sand, soil or concrete.
 - Do not use “touch-up” spray can on COLORBOND® steel.
 - Avoid “swarf” damage remove metal debris from cutting and/or drilling.
 - Keep material dry and clear of the ground when in bundles prior to installation.
 - Prepainted metal roofing components are often supplied with a protective plastic film. This can be affected by sunlight and should be removed as soon as practicable. Removal can be difficult, if not impossible, if exposed to sunlight for prolonged periods.
 - Contact with dissimilar metals and run-off from dissimilar metals such as Copper, lead, etc must be avoided.
 - Roofing and guttering need to be free draining and free from the accumulation of dirt or leaves.

Water Flow Guide Chart




QUICK ROOFING ESTIMATE – HIPPED ROOF TAKE-OFF

The table of Roof Slope Factors below allows quick calculations of roof area, sheet length and hip length.

These methods are for quick estimating purposes only. Accurate measurements must be taken from the actual roof frame before ordering roofing and rainwater products.

As an example, take a typical hipped roof where all four roof sections have the same slope (30°) and all hips are of equal length.

Typical hipped roof (roof slope = 30°)



ROOF AREA

First determine the area of the roof plan by multiplying the length of the roof by the width. Before making the calculation, add gutter overhangs of 50mm. In this case, there are gutters on all four sides. To find the area of the hipped roof, simply multiply this plan area by the Roof Slope Factor for Roof Area. The same method is used for gable roofs.

$$19.1 \times 8.1 = 154.7 \times 1.155 = 178.7$$

Therefore, roughly 179m² of sheeting will be needed to cover the roof. On complex roof shapes, extra may need to be added to allow for wastage.

SHEET LENGTH

On the roof plan, measure the distance from the line of the ridge to the outside edge of the fascia, which in the example is half the span or 4000mm. Multiply this measurement by the Sheet Length Roof Slope Factor to find the length of the sheet required to span from the ridge to the fascia. Note that all roof sheeting must extend at least 50mm beyond the fascia line to provide gutter overhang.

$$4000 + 50 \times 1.155 = 4678\text{mm}$$

HIP CAPPING

To find the length of ridge capping required to cover one hip, measure the distance from the ridge line to the fascia on the roof plan (here 4000mm) add the gutter overhang and multiply by the Hip Length Roof Slope Factor for 30°. Multiply by 4.

$$4000 + 50 \times 1.528 \times 4 = 24.8\text{m}$$

RIDGE CAPPING

For hipped roofs where all sides have the same slope, the length of the top ridge is equal to the length of the roof plan minus the width, regardless of slope. Add 5% to all capping to allow for laps.

$$19 - 8 = 11 + 5\% = 11.55\text{m}$$

ROOF SLOPE FACTORS












Roof Slope (degrees)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Roof Area/Sheet Length	1.000	1.001	1.001	1.002	1.004	1.006	1.008	1.010	1.012	1.015	1.019	1.022	1.026	1.031	1.035
Hip Length	1.414	1.415	1.415	1.416	1.417	1.418	1.420	1.421	1.423	1.425	1.428	1.430	1.433	1.436	1.439

Roof Slope (degrees)	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Roof Area/Sheet Length	1.040	1.046	1.051	1.058	1.064	1.071	1.079	1.086	1.095	1.103	1.113	1.122	1.133	1.143	1.155
Hip Length	1.443	1.447	1.451	1.456	1.460	1.465	1.471	1.477	1.483	1.489	1.496	1.503	1.511	1.519	1.528

Roof Slope (degrees)	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
Roof Area/Sheet Length	1.167	1.179	1.192	1.206	1.221	1.236	1.252	1.269	1.287	1.305	1.325	1.346	1.367	1.390	1.414
Hip Length	1.537	1.546	1.556	1.567	1.578	1.590	1.602	1.616	1.630	1.644	1.660	1.677	1.694	1.712	1.732

Roof Slope (degrees)	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
Roof Area/Sheet Length	1.440	1.466	1.494	1.524	1.556	1.589	1.624	1.662	1.701	1.743	1.788	1.836	1.887	1.942	2.000
Hip Length	1.753	1.775	1.798	1.823	1.849	1.877	1.907	1.939	1.973	2.010	2.049	2.091	2.136	2.184	2.236

SELECTING YOUR PRODUCT

Product/Roofing/Cladding	Page	BMT	Steel Grade	Cover Width mm	Minimum Pitch	Roof Span Int Span mm	Roof Span End Span mm	Wall Span Int Span mm	Wall Span End Span mm
G300 – Mild Steel G550 – Hi-Tensile Steel									
Stramit® Corrugated 	16	0.42 0.48 0.55	G550 G550 G550	762	5 Degrees (1 in 12)	1200 1600 1600	1000 1300 1300	2600 2850 2850	2150 2350 2350
Fixing screw required 3/sheet/batten									
Stramit® Curving Quality 	17	0.60	G300	762		1200	1000	2700	2250
Tank Iron Z600		0.60	G300	610		-	-	-	-
Fixing screw required 3/sheet/batten									
Stramit Monoclad® 	18	0.35 0.42 0.48 0.55	G550 G550 G550 G550	762	† 2 Degrees (1 in 27)	† 1700 2300 2300	† 1400 1900 1900	3000 3000 3000 3000	2500 2500 2500 2500
Fixing screw required 4/sheet/batten									
Stramit Longspan® 	20	0.42 0.48	G550 G550	700	3 Degrees (1 in 20)	2100 2700	1750 2250	3000 3000	2500 2500
2 degree minimum pitch residential only. Fixing screw required 3/sheet/batten									
Stramit Speed Deck® 500 	22	0.42 0.48 0.60		500	1 Degree (1 in 60)	1500 2100 2100	1250 1750 1750	2200 2750 3000	1800 2250 2500
Fixing clips required 1/sheet/batten									
Stramit Speed Deck Ultra® 	22	0.42 0.48		700	1 Degree (1 in 60)	2100 2700	1750 2250	3000 3000	2500 2500
* Ex Melbourne Fixing clips required 1/sheet/batten									
Stramit SharpLine® Direct Fix - 25mm 	24	0.55 0.55 0.55 0.55	0.60 0.60 0.60 0.60	290 490 265 465	3 Degree 3 Degree 3 Degree 3 Degree	900 450 900 450	600 350 600 350	1200 600 1200 600	950 450 950 450
Fixing screws required = 1/sheet/batten									
Stramit SharpLine® Clip Fix - 25mm 	24	0.55 0.55 0.55 0.55	0.60 0.60 0.60 0.60	320 520 285 485	3 Degree 3 Degree 3 Degree 3 Degree	900 450 900 450	600 350 600 350	1200 600 1200 600	950 450 950 450
Fixing screws required = 2 per clip for both metal & timber (1 in 20)									
Stramit Mini Corry® 	24	0.42 0.48		825	† †	† †	† †	1200 1300	1000 1050
* Ex Melbourne Fixing screw required 7/sheet/batten									
Stramit Monopanel® 	25	0.48		250	†	†	†	3000	2500
* Ex Melbourne Fixing screw required 1/sheet/batten									
Stramit K-Panel® 	25	0.35		864	†	†	†	1500	1250
Fixing screw required 4/sheet/batten									

Conditions For N1 wind conditions and normal duty foot traffic.

Base Metal Thickness (BMT) This is thickness of steel only and together with minimum yield strength and rolled profile provides the basis for calculation of the structural needs of a system. It should be referred to in specifications followed by the letters BMT.

Cladding Only Products marked † are NOT suitable for roofing.

ROOFING • CLADDING • ACCESSORIES

Product	Roofing/Cladding/Accessories	Details	Code	Finish/BMT	Unit
Stramit® Corrugated 	Hi Tensile G550	C42ZA	ZA 0.42	per m ²	
		C48ZA	ZA 0.48	per m ²	
		C42T---	MATT 0.42	per m ²	
		C42X---	COL 0.42	per m ²	
		C48X---	COL 0.48	per m ²	
		C42ZM8---	ZM8 0.42	per m ²	
		C48ZM8---	ZM8 0.48	per m ²	
		C42GA	Z450 GA 0.42	per m ²	
	Cutting charge	CUTBACKLTH			
	<i>(lengths under 1.2m subject to cutting charge)</i>				
Stramit® Corrugated also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 27.					
Wall Cladding 	Hi Tensile G550				
	Acoustic Perforated *		COL 0.42	per m ²	
	Acoustic Perforated *		COL 0.35	per m ²	
	Acoustic Perforated *		COL 0.48	per m ²	
Cutting charge	CUTBACKLTH				
<i>(lengths under 1.2m subject to cutting charge) *Acoustic Perforated subject to minimum quantities</i>					
Fasteners 	12 x 50 Hex Head type 17 <i>(crest fixing to timber)</i>	S1250H174	Plain	per 1000	
	5.5 x 39 Hex Auto Tek <i>(crest fixing to steel)</i>	S1239HAT4	Plain	per 1000	
	6 x 50 Hex Head Roof Zip <i>(crest fixing to timber or steel)</i>	S0650HZIP4	Plain	per 1000	
	10 x 16 Hex Head SD <i>(valley fixing to steel)</i>	S0650HZIP---4	Coloured head	per 1000	
	10 x 16 Hex Head SD <i>(valley fixing to steel)</i>	S1016HT4	Plain	per 1000	
	10 x 16 Wafer Head SD <i>(steel fixing)</i>	S1016HT---4	Coloured head	per 1000	
	10 x 16 Wafer Head SD <i>(steel fixing)</i>	S1016WT4	Plain	per 1000	
Accessories 	Filler Strip (eave & ridge)	CEFS	918mm	each	
	*Also available in fire retardant material as per standard AS1530.3-1999 - \$POA				
Flashings 	Stramit® Roll Top Ridge <i>RTRV (suit 5°-25° pitch)</i>	RTR42ZA	CTL ZA	lin m	
		RTR42GA	CTL GA	lin m	
		RTR42X---	CTL COL	lin m	
		RTR42T---	CTL MATT	lin m	
		RTR42ZM8---	CTL ZM8	lin m	
		RTRRF42X---	CTL COL	lin m	
		Maximum length for folded flashings is 8 metres			
		VPF55GA	CTL GA	lin m	
		VPF55ZA	CTL ZA	lin m	
		VPF55X---	CTL COL	lin m	
	VPF55T---	CTL MATT	lin m		
	VPF55ZM8---	CTL ZM8	lin m		
	Barge CBV	BFC22055GA	CTL GA	lin m	
	BFC22055ZA	CTL ZA	lin m		
	BFC22055X---	CTL COL	lin m		
	Under Flashing CUV	UFC26055GA	CTL GA	lin m	
	UFC26055ZA	CTL ZA	lin m		
	UFC26055X---	CTL COL	lin m		
	Barge Roll BRV	BRI50GA24	2.4m GA	each	
	BRI50ZA24	2.4m ZA	each		
	BRI50X---24	2.4m COL	each		

CURVED ROOFING • TANK IRON • ACCESSORIES

Product	Curved Roofing/Tank Iron/Accessories	Details	Code	Finish/BMT	Unit	
Stramit® Curving Quality 	Mild Steel G300	CD60ZA	ZA 0.60	per m ²		
		CD60X---	COL 0.60	per m ²		
		CD60GA	GA 0.60	per m ²		
				Acoustic perf. 0.60per m ²		
Material Costs Only Reverse Roll available on request - Additional charges will apply. <i>(add curving cost, to material cost for total price)</i> When end lapping occurs, please liaise with your Stramit office for additional details						
Costs (up to 90° curve)	Sheet lengths up to 3.5m	CURV40035		per curve		
	Sheet lengths 3.5m to 7m	CURV43570		per curve		
	Sheet lengths 7m to 10m	CURV47010		per curve		
	Sheet lengths 10m to 13m	CURV41013		per curve		
	Docking of curved sheet <i>(less than 2.5metres only)</i>	CUTBACKLTH		per cut		
<i>Lengths over 13m are subject to special pricing. Special freight prices apply to lengths over 7 metres.</i> <i>Curves over 90° or double curves are priced at sheet length x 2 curves.</i> Radius 400mm and under require 110mm extra length to be docked after curving.						
Bullnosing & Curving						
Please supply template & all information wherever possible. For all bullnosed curved sheets under 400mm radius , a straight section (A) of 110mm is required, and will be charged in the price of the sheet. If all part of this dimension is not required on finished sheet, then the sheet will be cut back and a docking fee will apply.						
Templates Curving Templates Must include customer name and PO number Customer contact name & telephone number Sheet length and number of sheets required Template Material Must Be Only - COLORBOND®, ZINCALUME® or Galvanised Steel sheet already curved to requirement Plywood, masonite, Corlute, timber or cardboard with correct profile drawn or cut MATERIAL NOT Acceptable as Templates - Copper tube, Cement Sheet, and sheet painted with a lead based paint						
Bullnosing A Straight section into gutter _____ mm B Radius of curve _____ mm C Angle of roof pitch _____ degrees D Wall to fascia _____ mm Number of sheets required _____ Direction of laying (left to right/right to left) _____ Colour _____ Other information (eg. docking, endlapping) _____			Concave & Convex E Wall to fascia _____ mm F Height _____ mm Required if X not available G Total sheet length _____ mm X Radius _____ mm Required if F not available Type of curve (concave/convex) _____ Number of sheets required _____ Colour _____ Other information (eg. docking, endlapping) _____			
Flashings 	Steel Curved Pittsburg Flashings Barge CAMETCBL--- ZA/GA/Colour lin metre CAMETCBR--- ZA/GA/Colour lin metre Apron CAMETCAL--- ZA/GA/Colour lin metre CAMETCAR--- ZA/GA/Colour lin metre Curved Fibreglass Flashings Hip only CAPVCHrrr*--- Barge CAPVCBrrr*--- Valley CAPVCVrrr*--- Straight (ridge piece) CAPVCST---26 rrr* = radius in mm					
	Tank Iron 	8 corrugations, 610 cover	CT61060GA	GA Z600 0.60	per m ²	
		AQUAPLATE® steel <i>(rolled edge down with AQUAPLATE® under)</i>	CT61060AQGA	0.60	per m ²	
		AQUAPLATE® steel	CT61060AQ---	COL 0.60	per m ²	
	All orders must come with drawings showing colour and leg positions.					

ROOFING • CLADDING • ACCESSORIES

Product Roofing/Cladding/Accessories	Details	Code	Finish/BMT	Unit	
Stramit MonoClad® 	Hi-Tensile G550	MC42ZA	ZA 0.42	per m ²	
		MC48ZA	0.48	per m ²	
		MC42T---	MATT 0.42	per m ²	
		MC42X---	COL 0.42	per m ²	
		MC48X---	0.48	per m ²	
		MC42ZM8---	ZM8 0.42	per m ²	
		MC48ZM8---	ZM8 0.48	per m ²	
		MC42GA	GA Z450 0.42	per m ²	
	Cutting charge	CUTBACKLTH			
	Reverse Roll available on request			per m ²	
<p>Stramit MonoClad® also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 27. (lengths under 1.2m subject to cutting charge)</p>					
Wall Cladding 	Hi-Tensile G550	MC35X---	COL 0.35	per m ²	
	Cutting charge	CUTBACKLTH			
	Reverse Roll available on request			per m ²	
<p>(lengths under 1.2m subject to cutting charge)</p>					
Accessories 	Filler Strip (under eave)	MCEFSBTM	760mm bottom	each	
	Filler Strip (under ridge)	MCEFSTOP	950mm top	each	
		*Also available in fire retardant material as per standard AS1530.3-1999 - \$POA			
	Reinforcing Plate & Seal	TSFGMCRPM14H	suit fibreglass	per 100	
	Weatherlok Neo Washer	TSFGWW32H	suit fibreglass	per 100	
	MC MonoLap 73mm 7.62m (10 sheets per roll)	MCMONOLAP76		Roll	
	MC MonoLap Expansion Washer	MCMONOLAPEWZA		each	
	12x68 Hex Tek Cls4 COL – only suitable for MC MonoLap above (40 screws per roll – incl plate & washer)	S1268HTMC***4		Pack	
	12x68 Hex Tek Mcap	S1268HTMC4		Box	
	MC MonoLap Stop End Tool MonoLap Accessories Ex Brisbane	MCMONOLAPSETD		each	

ROOFING • CLADDING • ACCESSORIES

Product Roofing/Cladding/Accessories	Details	Code	Finish/BMT	Unit
Fasteners	12 x 65 Hex Head type 17 (crest fixing to timber)	S1265H174 S1265H17---4	Plain Coloured head	per 1000 per 1000
	5.5 x 50 Hex Auto Tek (crest fixing to steel)	S1250HAT4 S1250HAT---4	Plain Coloured head	per 1000 per 1000
	10 x 16 Hex Head SD (valley fixing to steel)	S1016HT4 S1016HT---4	Plain Coloured head	per 1000 per 1000
	10 x 16 Wafer Head SD (fix to steel)	S1016WTH		per 100
	M6 x 65 Hex Head SDS (for crest fixing to timber)	S0665HZIP4 S0665HZIP---4	Plain Coloured head	per 1000 per 1000

Flashings

Maximum length for folded flashings is 8 metres

	Ridge MCR	RFMC55GA	CTL GA	lin m
		RFMC55ZA	CTL ZA	lin m
		RFMC55X---	CTL COL	lin m
	Barge MCBV	BFMC24055GA	CTL GA	lin m
		BFMC24055ZA	CTL ZA	lin m
		BFMC24055X---	CTL COL	lin m
	Under Flashing MCU	UFMC55GA	CTL GA	lin m
		UFMC55ZA	CTL ZA	lin m
		UFMC55X---	CTL COL	lin m
	Valley	VPF55GA	CTL GA	lin m
		VPF55ZA	CTL ZA	lin m
		VPF55X---	CTL COL	lin m

ROOFING • CLADDING • ACCESSORIES

Product Roofing/Cladding/Accessories	Details	Code	Finish/BMT	Unit
Stramit Longspan® 	Hi-Tensile G550	LS42ZA	ZA 0.42	per m ²
		LS48ZA	0.48	per m ²
		LS42T---	MATT 0.42	per m ²
		LS42X---	COL 0.42	per m ²
		LS48X---	0.48	per m ²
		LS42ZM8---	ZM8 0.42	per m ²
		LS48ZM8---	ZM8 0.48	per m ²
		LS42GA	GA Z450 0.42	per m ²
			Crimpclad Curving 0.42	per m ²
			Acoustic Perforated	COL 0.42
		COL 0.35	per m ²	


Stramit Longspan® Gutter Board refer page 43

Cutting charge **CUTBACKLTH**


Reverse Roll available on request per m²

Stramit Longspan® also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 27 (lengths under 1.0m subject to cutting charge).

Fasteners



12 x 65 Hex Head type 17 (crest fixing to timber)	S1265H174	Plain	per 1000
	S1265H17---4	Colour	per 1000



5.5 x 50 Hex Auto Tek (crest fixing to steel)	S1250HAT4	Plain	per 1000
	S1250HAT---4	Colour	per 1000



10 x 16 Hex Head SD (valley fixing to steel)	S1016HT4	Plain	per 1000
	S1016HT---4	Colour	per 1000



10 x 16 Wafer Head SD (fix to steel)	S1016WTH		per 100
---	-----------------	--	---------

Accessories



Filler Strip (under eave)	LSEFS	900mm bottom	each
Filler Strip (under ridge)	LSEFSTOP	900mm top	each

*Also available in fire retardant material as per standard AS1530.3-1999 - \$POA




Reinforcing Plate & Seal	TSFGMCRP14H	suit fibreglass	per 100
--------------------------	--------------------	-----------------	---------




Weatherlok Neo Washer	TSFGWW32H	suit fibreglass	per 100
-----------------------	------------------	-----------------	---------

Flashings




Ridge MCR	RFMC55GA	CTL GA	lin m
	RFMC55ZA	CTL ZA	lin m
	RFMC55X---	CTL COL	lin m


Maximum length for folded flashings is 8 metres



Barge MCBV	BFMC24055GA	CTL GA	lin m
	BFMC24055ZA	CTL ZA	lin m
	BFMC24055X---	CTL COL	lin m



Under Flashing MCU	UFMC55GA	CTL GA	lin m
	UFMC55ZA	CTL ZA	lin m
	UFMC55X---	CTL COL	lin m



Valley	VPF55GA	CTL GA	lin m
	VPF55ZA	CTL ZA	lin m
	VPF55X---	CTL COL	lin m

CTL – Cut to length available ex Hobart on normal lead time

NOTES



ROOFING • ACCESSORIES

Product Roofing/Accessories	Details	Code	Finish/BMT	Unit	
Stramit Speed Deck® 500 	Hi-Tensile G550	SD48ZA	ZA 0.48	per m ²	
		SD48X---	COL 0.48	per m ²	
	Project only allow extra lead time	CUTBACKLTH		each	
	Reverse Roll available on request			per m ²	
<i>Refer to Product Availability table on page 12 for colours</i>					
Fixing Clips 	Fixing Clips no nails	SDFC		each	
	Fixing Clips & nails – 60mm	SDFCN		each	
	10 x 16 Wafer Tek	S1016WTH	Plain	per 100	
Accessories 	Rib Stop End (closer)	SDRSEZA		each	
	12 x 68 Tek (steel)	S1268HTH		per 1000	
	Filler Strip 760mm (bottom)	SDEFSBTM		each	
Stramit Speed Deck Ultra® 	Hi-Tensile G550	UD42ZA	ZA 0.42	per m ²	
		UD48ZA	ZA 0.48	per m ²	
		UD42GA	GA 0.42	per m ²	
		UD42T---	MATT 0.42	per m ²	
		UD42X---	COL 0.42	per m ²	
		UD48X---	COL 0.48	per m ²	
		UD42ZM8---	ZM8 0.42	per m ²	
		UD48ZM8---	ZM8 0.48	per m ²	
		CUTBACKLTH		each	
		Reverse Roll available on request			per m ²
		Stramit Speed Deck Ultra® also available in the BlueScope Steel Premium Products range of colours for severe environments, <i>refer pages 27.</i>			
<i>Lengths over 11.6m incur extra delivery charges. Lengths under 1.2m incur a cutting charge.</i>					
Fixing Clips 	Fixing Clips no fasteners	UDFC	GA	each	
	(40 per box)				
	Farlap Lapping Accessory	UDFARLAP		each	
	Farlap Lapping Accessory Roll	UDFARLAP70		7m roll	
	Farlap TurnUp/TurnDown Tool	UDFARLAPSETD		each	
Fasteners 	12 x 50 Hex Head Type 17	S1250H174	(for timber)	1000	
	12 x 30 Hex Head	S1230HTNN	(for metal)	1000	
<i>Minimum issue 100 per size – increments of 100 applicable</i>					
Accessories 	Filler Strip 700 (Bottom)	UDEFSBTM		each	
	Filler Strip 700 (Top)	UDEFSTOP		each	
	*Also available in fire retardant material as per standard AS1530.3-1999 - \$POA	UDSETD		each	
	Stop Ending Tool (Turn up/turn down) double ended				
Flashings 	Ridge SDRV	Maximum length for folded flashings is 8 metres			
		RFSD40055GA	CTL GA	lin m	
		RFSD40055ZA	CTL ZA	lin m	
		RFSD40055X---	CTL COL	lin m	
	Barge SDB	BFSD55GA	CTL GA	lin m	
		BFSD55ZA	CTL ZA	lin m	
		BFSD55X---	CTL COL	lin m	
	Under Flashing SDU	UFSD55GA	CTL GA	lin m	
		UFSD55ZA	CTL ZA	lin m	
		UFSD55X---	CTL COL	lin m	
	Valley	VPF55GA	CTL GA	lin m	
		VPF55ZA	CTL ZA	lin m	
		VPF55X---	CTL COL	lin m	

TRANSLUCENT ROOF SHEETING • ACCESSORIES




Product Roofing/Accessories	Details	Code	Finish	Unit
suit Stramit® Corrugated roofing	Fibreglass	TSFGC12---	1200gsm (4oz)	lin m
		TSFGC18---	1800gsm (6oz)	lin m
		TSFGC24---	2400gsm (8oz)	lin m
<i>Lengths over 11.6m incur extra delivery charges</i>				
	Polycarbonate	TSPCC---LL		lin m
	Available in stock lengths 1.8m, 2.4m, 3.0m, 3.6m, 4.2m, 4.8m, 5.4m, 6.0m			
	Weatherlok Neo Washer (32mm)	TSFGWW32H	suit fibreglass	per 100
suit Stramit Monoclad® roofing	Fibreglass	TSFGMC18---	1800gsm (6oz)	lin m
		TSFGMC24---	2400gsm (8oz)	lin m
	CLR, OPA, HGN			
	Polycarbonate	TSPCMC---LL	(0.80mm)	lin m
		TSPCGR---LL	Greca 760mm	lin m
<i>Lengths over 11.6m incur extra delivery charges</i>				
	CLR, GRY, OPL, LBZ and DKT			
	Available in stock lengths 1.8m, 2.1m, 2.4m, 2.7m, 3.0m, 3.6m, 4.2m, 4.8m, 5.4m, 6.0m			
	Weatherlok Neo Washer (32mm)	TSFGWW32H	suit fibreglass	per 100
suit Stramit Longspan® roofing	Fibreglass	TSFGLS24---	2400gsm (8oz)	lin m
	<i>Lengths over 11.6m incur extra delivery charges</i>			
	CLR, OPA, HGN			
	Weatherlok Neo Washer (32mm)	TSFGWW32H	suit fibreglass	per 100
suit Stramit Speed Deck® 500 deck	Fibreglass	TSFGSD24---	2400gsm (8oz)	lin m
	<i>Lengths over 11.6m incur extra delivery charges</i>			
	CLR, OPA, HGN			
	Weatherlok Neo Washer (32mm)	TSFGWW32H	suit fibreglass	per 100
suit Stramit Speed Deck Ultra® deck	Fibreglass	TSFGUD24---	2400gsm (8oz)	lin m
	CLR, OPA			
	<i>Lengths over 11.6m incur extra delivery charges</i>			
	CLR, OPA, HGN			
	Weatherlok Neo Washer (32mm)	TSFGWW32H	suit fibreglass	per 100

CLADDING • ACCESSORIES

Product	Details	Cover Width mm	Ordering Code	Finish	BMT mm	Unit	
Roofing/Cladding/Accessories							
Stramit SharpLine® Direct Fix	25mm Rib (short)	290	SLS290D55X***	COL	0.55	per m ²	
		38mm Rib (tall)	490	SLS490D55X***	COL	0.55	per m ²
			265	SLT265D55X***	COL	0.55	per m ²
			465	SLT465D55X***	COL	0.55	per m ²
Stramit SharpLine® Clip Fix	25mm Rib (short)	320	SLS320C55X***	COL	0.55	per m ²	
		38mm Rib (tall)	520	SLS520C55X***	COL	0.55	per m ²
			285	SLT285C55X***	COL	0.55	per m ²
			465	SLT465C55X***	COL	0.55	per m ²
Accessories suit							
SharpLine® Clip Fix	Clip (short) 25mm		SLSCGA	GA		each	
	Clip (tall) 38mm		SLTCGA	GA		each	

Available in ultra & matt finishes.
Minimum length 2000, Maximum length 9000
NB: Lead time 72 hours.

Roof pitches below 7.5° for SharpLine® direct fix and 5.0° for SharpLine® clip fix profiles require sealed side laps. All Roof lengths above 5.0m also require sealed side laps. Refer to Product Technical manual brochure for installation requirements to plywood backing.

Fasteners		10 x 16 Flathead Needle Point	S1016FNP	Plain		per box 1000
		10 x 16 Wafer Tek (For fixing to steel)	S1016WT	Plain		per box 1000
		10 x 25 Wafer Type 17 (For fixing to timber)	S1025W17	Plain		per box 1000




Stramit Mini Corry®		MK42ZA	ZA	0.42	per m ²
		MK42T---	MATT	0.42	per m ²
		MK42ZM8---	ZM8	0.42	per m ²
		MK42X---	COL	0.42	per m ²

6 rib height 825 cover

Special Packaging Charge
PACKAGING each

Stramit Mini Corry® also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 28.

Maximum length 9.0m, minimum length 0.4m, minimum order quantity 100m² one colour
Prices are subject to minimum quantity and packaging charges
This product is manufactured in NSW – allow additional lead times




Fasteners		10 x 25 Hex Head type 17 (fix to timber)	S1025H174	Plain		per 500
		10 x 16 Hex Head SD (fix to steel)	S1016HT4 S1016HT---4	Plain Coloured head		per 1000 per 1000
		10 x 16 Wafer Head SD (fix to steel)	S1016WT4			per 1000

Stramit Minirib®		Rectangular profile	MR42ZA	ZA	0.42	per m ²
			MR42X---	COL	0.42	per m ²
			MR42T---	MATT	0.42	per m ²

4mm rib height 900 cover










Packaging charge **PACKAGING** each
This product is manufactured in NSW – allow additional lead times.

Prices are subject to minimum quantity and packaging charges. Additional charges will apply.

Fasteners		10 x 25 Hex Head type 17 (fix to timber)	S1025H174	Plain		per 500
		10 x 16 Hex Head SD (fix to steel)	S1016HT4 S1016HT---4	Plain Coloured head		per 1000 per 1000
		10 x 16 Wafer Teks (fix to steel)	S1016WT4			per 1000

Also available in packs of 100 - Please contact your account manager for prices.

CLADDING • ACCESSORIES

Product Cladding/Accessories	Details	Code	Finish	BMT	Unit	
Stramit Monopanel®		Hi-Tensile G550	MP48ZA	ZA	0.48	per m ²
			MP48X---	COL	0.48	per m ²
CUTBACKLTH each						
Stramit Monopanel® also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 27						
NOTE: Recommended maximum 6.0m, beyond 6.0m at customer responsibility. Minimum length 600mm						
Fasteners		P3 Starter Clips (use with Stramit Monopanel® cladding)	MPSC		each	
Stramit Monopanel® Flashings		Foot Mould P1	FM155ZA	ZA	lin m	
			FM155X---	COL*	lin m	
		Foot Mould P2	FM255ZA	ZA	lin m	
			FM255X---	COL*	lin m	
Outside Corner Trim P4		OCT55ZA	ZA	lin m		
		OCT55X---	COL*	lin m		
Inside Corner Trim P5		ICT55ZA	ZA	lin m		
		ICT55X---	COL*	lin m		
Fixing Purlin P8		CBTC61	ZA	6.1 lm		
		<i>*Non stock items – manufactured to order</i>				
Stramit K-Panel®		Hi Tensile Steel G550	KP35ZA	ZA	0.35	per m ²
			KP35X---	COL	0.35	per m ²
			KP42X---	Matt	0.42	per m ²
Acoustic Perforated		Lengths under 1.2m subject to cutback charge	KP35X---P11	COL	0.35	per m ²
		CUTBACKLTH				
<i>Recommended maximum lengths 6.0m. Packing charges apply – refer local office.</i>						
Fasteners		10 x 25 Hex Head type 17 (fix to timber)	S1025H174	Plain	per 500	
			S1025H17---4	Coloured head	per 500	
		10 x 16 Hex Head SD (fix to steel)	S1016HT4	Plain	per 1000	
			S1016HT---4	Coloured head	per 1000	

Colorbond®

COLORBOND® steel is more than a world-class building product. It's an iconic brand that's helped the people of our building industry shape the very landscape in which we live.

MADE FOR AUSTRALIAN CONDITIONS

Australia is battered by our relentless climate every day. Today's COLORBOND® steel is the result of over 5 decades of research, development and innovation, based on over 50 years of data from thousands of steel samples.

TRIED AND TESTED FOR THE AUSTRALIAN ENVIRONMENT

For roofing and walling close to water, COLORBOND® Ultra steel has been designed to provide enhanced corrosion protection, while the iconic COLORBOND® steel range of 22 colours is ideal for most building designs in most locations. Regardless of where you build, there's likely to be a COLORBOND® steel solution for you.


COOLER IN THE SUMMER HEAT

COLORBOND® steel colours incorporate Thermatech® solar reflectance technology¹, which can mean reduced reliance on air-conditioning and less heat stress on a roof. For commercial roofing applications, COLORBOND® Coolmax® steel provides BlueScope's highest solar reflectance product, which may help to reduce roofing temperatures and keep buildings cooler².

FIVE LAYERS OF PROTECTION

Manufactured in Australia to relevant Australian Standards (AS 1397-2011 and AS/NZS 2728:2013) and tested in some of the harshest Australian conditions, COLORBOND® steel is far more than just 'paint on steel'.

1. The steel base meets relevant Australian Standards, ensuring strict adherence to the required grade and strength.
2. The base is then coated in BlueScope's industry leading metallic coating incorporating Activate® technology⁴, to provide enhanced corrosion resistance.
3. A thin pre-treatment layer is applied to optimise the adhesion of further coatings.
4. A corrosion inhibitive primer is baked onto the surface.
5. A topcoat of specially developed, exterior grade paint is baked on to provide resistance to chipping, flaking and blistering and to ensure the finish retains its look for longer.



PEACE OF MIND FOR YOU AND YOUR CUSTOMERS

COLORBOND® steel for roofing is warranted for corrosion to perforation for up to 36 years, as well as paint flake and peel for up to 20 years³. Detailed information can be accessed at bluescopesteel.com.au/warranties.

NATIONWIDE SUPPORT

BlueScope's nationwide network of sales and technical support helps provide advice and information for customers, architects, designers, engineers, builders, trades and homeowners who use COLORBOND® steel.

1. Thermatech® technology is not available in Night Sky®, or non-standard colours, and is not available in COLORBOND® Stainless steel, COLORBOND® Metallic steel, or COLORBOND® Coolmax® steel. Results will depend on roof colour, level and location of insulation, type and location of building shape and function.
2. Compared to conventional roofing materials of lower solar reflectance index (SRI), such as ZINCALUME® steel and all other roofing materials in the COLORBOND® steel range. Any savings and/or the extent to which a building is cooler may vary and depend upon the particular circumstances of your building, including building location, level of insulation, location of air-conditioning when installed, building shape, building function and environmental factors. For further information refer to Stockland case study <http://steel.com.au/colorbond-coolmax-steel>.
3. Warranties are subject to exclusions, application and eligibility criteria. For full terms and conditions and to determine the eligibility of your product for the warranty visit bluescopesteel.com.au/warranties or contact BlueScope on 1800 064 384.
4. Aluminium/zinc/magnesium alloy-coated steel substrate incorporating Activate® technology is not available for COLORBOND® Stainless steel, and COLORBOND® steel products with a galvanised steel substrate.


PREMIUM PRODUCTS • ROOFING • CLADDING • ACCESSORIES

Product	Details	BMT mm	Finish	Code	Unit
---------	---------	--------	--------	------	------

Most Premium Products manufactured at Knox, allow extra 2 days lead time for country areas, more for interstate – ask for details. Available in the Blue Scope Steel Premium range of colours for severe environments, refer page 38. Lengths under 1.2m incur a cutback charge.

Reverse roll roofing/cladding available on request – extra \$1 per m². See standard product pages for other accessories, flashing profiles, fibreglass.


Stramit® Corrugated



0.42	Ultra	C42U---	per m ²
0.42	Matt	C42T---	per m ²
0.48	Ultra	C48U---	per m ²
0.48	Matt	C48T---	per m ²
0.48	Metallic*	C48M---	per m ²
0.48	Coolmax®	C48KWHN	per m ²

*Metallic available on project basis only. Minimum order 2 tonnes. To convert to linear metres multiply by 0.762


Stramit Monoclad®



0.42	Ultra	MC42U---	per m ²
0.42	Matt	MC42T---	per m ²
0.48	Ultra	MC48U---	per m ²
0.48	Matt	MC48T---	per m ²
0.48	Metallic*	MC48M---	per m ²
0.48	Coolmax®	MC48KWHN	per m ²

*Metallic available on project basis only. Minimum order 2 tonnes. To convert to linear metres multiply by 0.762

Stramit Longspan®




0.42	Ultra	LS42U---	per m ²
0.42	Matt	LS42T---	per m ²
0.48	Ultra	LS48U---	per m ²
0.48	Matt	LS48T---	per m ²
0.48	Metallic*	LS48M---	per m ²
0.48	Coolmax®	LS48KWHN	per m ²

*Metallic available on project basis only. Minimum order 2 tonnes. To convert to linear metres multiply by 0.700

Screws to suit above	Class 4 - crest fixing to timber – corrugated	S1250H17---4	per 1000
	Class 4 - crest fixing to steel – corrugated	S1239HAT---4	per 1000
	Class 4 - crest fixing to timber – others above	S1265H17---4	per 1000
	Class 4 - crest fixing to steel – others above	S1250HAT---4	per 1000

Also available in packs of 100 - Please contact your account manager for prices.




Stramit Speed Deck Ultra®





0.42	Ultra	UD42U---	per m ²
0.42	Matt	UD42T---	per m ²
0.48	Ultra	UD48U---	per m ²
0.48	Matt	UD48T---	per m ²
0.48	Metallic	UD48M---	per m ²
0.48	Coolmax®	UD48KWHN	per m ²

To convert to linear metres multiply by 0.700

PREMIUM PRODUCTS • ROOFING • CLADDING • ACCESSORIES

Product	Details	BMT mm	Finish	Code	Unit
Roofing/Cladding/Accessories					
Stramit Mini Corry®					
manufactured in NSW – allow extra lead time, minimum length 0.3m.					
	825 cover	0.48	Metallic	MK48M---	per m ²
	6 high	To convert to linear metres multiply by 0.825			
Stramit Minirib® (Rectangular profile)					
manufactured in NSW – allow extra lead time, minimum length 1.2m.					
	900 Cover	0.42	Ultra	MR42U---	per m ²
	4	To convert to linear metres multiply by 0.900.			
Stramit Monopanel®					
	250mm Cover	Hi-Tensile G550	0.48	Metallic	MP48M---
		Project Base Material, Min Order 1.2 Tonne (220m ²), Allow Extra Lead Time. Recommended maximum length 6.0m, beyond 6.0m at customer responsibility as handling damage is likely. Minimum length 500mm. Condeck Packers are required for lengths over 6.000m at additional cost.			

PREMIUM PRODUCTS • ROOFING • CLADDING

Product	Details	Cover Width mm	Ordering Code	Finish	BMT	Unit
Roofing/Cladding/Accessories						
	25mm Rib (short)	290	SLS290D55T***	Matt	0.55	per m ²
		290	SLS290D55U***	Ultra	0.55	per m ²
		490	SLS490D55T***	Matt	0.55	per m ²
		490	SLS490D55U***	Ultra	0.55	per m ²
	38mm Rib (tall)	265	SLT265D55T***	Matt	0.55	per m ²
		265	SLT265D55U***	Ultra	0.55	per m ²
465		SLT465D55T***	Matt	0.55	per m ²	
465		SLT465D55U***	Ultra	0.55	per m ²	
	25mm Rib (short)	320	SLS320C55T***	Matt	0.55	per m ²
		320	SLS320C55U***	Ultra	0.55	per m ²
		520	SLS520C55T***	Matt	0.55	per m ²
		520	SLS520C55U***	Ultra	0.55	per m ²
	38mm Rib (tall)	285	SLT285C55T***	Matt	0.55	per m ²
		285	SLT285C55U***	Ultra	0.55	per m ²
		465	SLT465C55T***	Matt	0.55	per m ²
		465	SLT465C55U***	Ultra	0.55	per m ²

COLORBOND® STEEL COLOUR AVAILABILITY

COLORBOND® ULTRA STEEL		COLORBOND® METALLIC STEEL		COLORBOND® COOLMAX® STEEL		COLORBOND® STEEL MATT	
DUN	DUNE®	ARI	ARIES®	WHN	WHITEHAVEN®	BAS	BASALT® MATT
MON	MONUMENT®	AST	ASTRO®			MON	MONUMENT® MATT
SUR	SURFMIST®	CEL	CELESTIAN®			SUR	SURFMIST® MATT
WLB	WALLABY®	COS	COSMIC®				
WSP	WINDSPRAY®	GLT	GALACTIC®				
WDG	WOODLAND GREY®	RHE	RHEA®				

MAGNAFLOW® • ROOFING • CLADDING • RAINWATER

PRODUCT – Roofing/Cladding/Rainwater	BMT (mm)
Stramit® Corrugated	0.42
Stramit Monoclad®	0.42
Stramit Longspan®	0.42
Stramit Speed Deck Ultra®	0.42
Stramit® Roll Top Ridge	0.42 / 0.55
Stramit® Valley Folded	0.55
Stramit® Flashings & Others	0.55
Stramit® Downpipes 95 x 45	0.55
Stramit® Downpipes 100 x 50	0.55
Stramit® Downpipes 100 x 75	0.55
Stramit® Downpipes 100 x 100	0.55

Please refer to Sales office for lead times and availability.

MagnaFlow® sheeting is a highly durable prepainted sheet steel system suitable for use in corrosive environments for roofing, walling and rainwater products. The protective metallic coating on the base steel is a new technology in accordance with AS1397 -2011. This coating provides the added durability of the MagnaFlow® product.

Please enquire at your local Stramit office to confirm colour availability.

SUBSTRATE

The coating on the steel substrate complies with the coating classes as specified in AS 1397 – 2011: Continuous Hot Dipped Metallic Coated Steel Sheet and Strip – Coatings of Zinc, and Zinc Alloyed with Aluminium and Magnesium. The MagnaFlow® coating comprises zinc, aluminium and magnesium and delivers more durable site performance than standard zinc or Zinc/aluminium systems. Minimum coating mass is 240gsm.

RECOMMENDED END USES

MagnaFlow® paint systems have a very good colour and gloss retention and are suitable for roofing, cladding and rainwater goods. It is ideal for animal shelters, flashings, interior uses, and exterior environments where corrosion levels are moderate. It is also suitable for fencing applications.



MAGNAFLOW® WARRANTIES

A range of warranties are available to support MagnaFlow® products for various exposure conditions. Please contact your local Stramit office for details.

THE MAGIC OF MAGNESIUM

All steel roofs are susceptible to the elements along cut edges however the addition of magnesium to the standard zinc/aluminium alloy in MagnaFlow® products provides superior corrosion resistance in this area. As time goes on it allows the protective metal coating to microscopically flow over the cut edge. At this point a sacrificial anticorrosive reaction takes place and a robust seal is created.

Anticorrosive reaction of MagnaFlow® products




PRODUCT AVAILABILITY - MAGNAFLOW COLOURS

Product	BMT (mm)	Magnaflow Colours ZM8 ***										
		AGY	BCH	MLH	OWH	SLG	GUL	SCM	CFG	HRD	MGN	MBL
Roofing	0.42	Y	POA	Y	Y	Y	CHECK	POA	POA	POA	POA	POA
	0.48	POA	POA	Y	Y	Y	POA	POA	POA	POA	POA	POA
Fascia	0.42	Y	Y	POA	Y	Y	POA	Y	POA	POA	POA	POA
QLD Quad / 150 Half Rnd	0.42	Y	Y	POA	Y	Y	POA	POA	POA	POA	POA	POA
M Gutter	0.42	Y	Y	POA	Y	Y	POA	Y	POA	POA	POA	POA
Quad 175	0.55	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA
Flashings	0.55	Y	Y	Y	Y	Y	POA	POA	POA	POA	POA	POA

MAGNAFLOW COLOUR NAMES

AGY Armour Grey	SLG Slate Grey	HRD Heritage Red
BCH Birch	GUL Gull Grey	MGN Mist Green
MLH Monolith	SCM Smooth Cream	MBL Mountain Blue
OWH Off White	CFG Caulfield Cream	

STRAMIT UNIGUARD™ FIRE RESISTING WALL SYSTEM



Stramit Uniguard™ Fire resisting wall system is a superior fire rated wall cladding product that combines the single layer of specialist fireboard **Promina®60** with your choice from **Stramit Monoclad®, Stramit Corrugated®** and **Stramit Longspan®** wall cladding products.

The **Stramit Uniguard™ Fire resisting wall system** is suitable for an external wall system for single storey Class 7b and 8 buildings of Type C construction as defined in the Building Code of Australia (BCA96).


Note: System must be designed and installed strictly in accordance with **Stramit Uniguard™ Fire Resisting Wall System Technical Manual**.

Using only the products specified and certified for the application as detailed in the technical manual and/or accreditation report.

Promina® 60 board can not be purchased independently of other Stramit Uniguard™ wall system components.


Product	Size mm	Code	Finish	BMT mm	Unit
---------	---------	------	--------	--------	------

Promina®60	15 x 2400 x 1200	PB601224			each
-------------------	------------------	-----------------	--	--	------



Promaseal Acrylic Sealant 300ml Cartridge - White 300ml Cartridge - Grey		PBSEAL300			each each
--	--	------------------	--	--	--------------

Stramit® Fixing Battens	Stock length 6100				
--------------------------------	--------------------------	--	--	--	--



20 x 30 x 10 x 6.1m	CBGA61		0.42	each
---------------------	---------------	--	------	------

Note: ZINCALUME® Battens cannot be in contact with this system.

Fasteners					
-----------	--	--	--	--	--



10 x 45 Wing Tek (For fixing Promina®60 to girts)	S1045WNGT			per 500
--	------------------	--	--	---------



12 x 55 Hex Head (For pan fixing cladding to purlin/girts)	S1255HTH	Plain		per 100
---	-----------------	-------	--	---------

GENERAL ACCESSORIES

Product General Accessories	Details	Finish	Code	Unit
-----------------------------	---------	--------	------	------

Fasteners	Pop Rivets 3.2 x 7.5mm (4-3)	Aluminium	PR3275AL	per 100
	Pop Rivets 3.2 x 7.5mm (4-3)	Coloured	PR3275---	per 100



Sealants	Pop Rivets 3.2 x 7.5mm (4-3)	Aluminium	PR3275ALBX	per 1000
	Pop Rivets 3.2 x 7.5mm (4-3)	Coloured	PR3275---BX	per 1000




Sealants	Silicone Clear		SILCLR	300g tube
	Silicone Grey		SILGRY	300g tube

Touch-up Paint	COL match-up (Lacquer)		PTU---	100ml
----------------	------------------------	--	---------------	-------




(Spray paint packs are not recommended)

Roof Vent	Roof Ventilator 300mm	Mill Finish* CBN*	RV300MF RV300---	each each
-----------	-----------------------	----------------------	-----------------------------------	--------------




Box Gutter Brackets (Adjustable)	250mm - 400mm (size 1)	24 per box	BGBA1EZA	each
	400mm - 650mm (size 2)	24 per box	BGBA2EZA	each
	650mm - 1000mm (size 3)	16 per box	BGBA3EZA	each



P.A. DOOR

Product P.A. Door	Size mm	Code	Finish	Unit
-------------------	---------	------	--------	------

Deluxe P.A. Door	2040 x 820 x 40 with jamb & lock	PADJ2040820ZA	ZA	each
		PADJ2040820X---	COL	each



Pre Hung in 4 sided Powercoated Frame
180° Outward Opening
Lever Handle to inside

Made To Order - Allow Extra Lead Time.

INSULATION & ROOFING MESH

Product	Details	Code	Cover	Unit
Insulation/Roofing Mesh				
Aluminium Foil Sisalation 1.35m x 60m Rolls	439/203 Light Grade Anti-glare	FLLWAG600	72m ²	per roll
	433/233 Medium Grade Anti-glare	FLMWAG600	72m ²	per roll
1.35m x 20m Rolls	456 Sisalation	FLEHDST600	72m ²	per roll
	Foil Fasteners (GA, in strips)	FLTACKB (500 per pack)		per 500
	Support Mesh	WMSUP500	90m ²	per roll
Fibreglass Building Blanket Plain	50mm x 20m *(R1.3)	BB55PLN200	24m ²	per roll
	75mm x 15m *(R1.8)	BB75PLN150	18m ²	per roll
	100mm x 7.5m *(R2.5)		9m ²	per roll
Fibreglass Building Blanket Light Weight Foil Adhered	50mm x 20m *(R1.3)	BB55LW200	24m ²	per roll
	75mm x 15m *(R1.8)	BB75LW150	18m ²	per roll
Roofing Wire/Mesh	1.8m x 50m Ausmesh (300mm x 150mm x 2.0mm thick)	WMAUS500	90m ²	per roll
Fibreglass Insulation Batts Walls & Ceilings (1160mm x 430mm)	Walls 75mm x 16 Batts *(R1.5)	BBW430R15	9.26m ²	per pack
	Ceilings 16 Batts (R2.5)	BBC430R25	9.26m ²	per pack
	16 Batts (R3.0)	BBC430R30	9.26m ²	per pack
	16 Batts (R3.5)	BBC430R35	9.26m ²	per pack
	16 Batts (R4.0)	BBC430R40	9.26m ²	per pack

R Value To achieve an R-Value, Sisalation **must** have a min. 20mm still air gap. *R-Values are approximate indicators only and are based on winter values. Actual value ratings will vary with application style, for both wall and roofing purposes. For more information on Victorian Mandatory Installation Codes, or for installation advice, please contact Stramit Building Products or Fletchers Insulation, and refer to Fletchers Insulation booklet *Mandatory Insulation Made Easy*.

FASCIA • ACCESSORIES

Product Cladding/Accessories	Details	Code	Finish/BMT	Unit	
Stramit® Fascia 	Hi Tensile G550	FBZA	ZA	lin m	
	Cut to length*	FBX---	COL	lin m	
	(up to 8 metres)	FBT---	MATT	lin m	
		FBZM8---	ZM8	lin m	
Stramit® Fascia also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 38 *Recommended maximum length 8.0m, minimum length 0.8m					
Accessories 	Rafter Bracket (100/box)	FBRBZA	GA	each	
	Fascia Splice Plate	FBSPZA	ZA	each	
	External Corner	FBECZA	ZA	each	
		FBECX---	COL	each	
		FBECT---	MATT	each	
		FBECZM8---	ZM8	each	
	Internal Corner (Piece)	FBICZA	ZA	each	
		FBICX---	COL	each	
		FBICT---	MATT	each	
		FBICZM8---	ZM8	each	
	Snap Clip (suit Stramit O-Gee™ , Stramit® Quad , Stramit® Easiflow Gutters)	FBSCZA		each	
	Stramit O-Gee™, Stramit® Quad	QV115SBZA	ZA	each	
		Barge Corner (Left)	FBBCLZA	ZA	each
			FBBCLX---	COL	each
	Barge Corner (Right)	FBBCLT---	MATT	each	
FBBCLZM8---		ZM8	each		
FBBCRZA		ZA	each		
Barge Bracket	FBBCRX---	COL	each		
	FBBCRT---	MATT	each		
	FBBCRZM8---	ZM8	each		
	Std 100mm face Barge Gutter (CTL*) (up to 6 metres) Non standard sizes available	FBBGZA	ZA	lin m	
FBBGX---		COL	lin m		
			lin m		
Apex Cover Plate	FBAJZA	ZA	each		
	FBAJT---	MATT	each		
	FBAJZA	ZA	each		
	FBAJZM8---	ZM8	each		
Fasteners 	6 x 25 Bugle Head Nails (for fixing brackets to timber)	S0625BUGNP	Plain	per 1000	
	10 x 16 Wafer Head SD (for fixing brackets to steel)	S1016WTH	Plain	per 100	

GUTTER • ACCESSORIES

Product Gutter/Accessories	Details	Code	Finish/BMT	Unit
Stramit® Quad 115 	Stock Length 6.0m	QV115P48ZA6000 QV115PX---6000	ZA COL	each each
	Cut to length (48 hour lead time) Minimum length 0.8m	QV115P48ZA QV115PX--- QV115PT--- QV115PZM8---	ZA COL MATT ZM8	lin m lin m lin m lin m
	Slotted available.			
	Stramit® Quad 115 also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 38.			
	ECSA = 5200mm ²			
Accessories				
	Concealed Bracket	QV115CBZA	ZA	each
	External Bracket	QV115EBZA QV115EBX--- QV115EBT---	ZA Colour Matt	each each each
	Stiffener Bracket (for metal fascia)	QV115SBZA	ZA	each
	Snap Clip (for metal fascia)	FBSCZA	Coated	each
	Corner Angles (Cast) (External)	QV115CAEMF QV115CAEX--- QV115CAET---	Plain Colour Matt	each each each
	Corner Angles (Cast) (Internal)	QV115CAIMF QV115CAIX--- QV115CAIT---	Plain Colour Matt	each each each
	Stop End Plates (Left Hand)	QV115SELGA QV115SELZA QV115SELX--- QV115SELT--- QV115SELZM8---	GA ZA COL MATT ZM8	each each each each each
	Stop End Plates (Right Hand)	QV115SERGA QV115SERZA QV115SERX--- QV115SERT--- QV115SERZM8---	GA ZA COL MATT ZM8	each each each each each
	Manuf. Angles (External)	QV115ECGA QV115ECZA QV115ECX---	GA ZA COL	each each each
	Manuf. Angles (Internal)	QV115ICGA QV115ICZA QV115ICX---	GA ZA COL	each each each
	Bat Clip	BATOC		each

FASCIA GUTTER AND CAPPING • ACCESSORIES

Product Gutter/Accessories	Details	Code	Finish/BMT	Unit
Stramit® Fascia Gutter 	Hi Tensile G550 Stock Length 6.0m (Plain)	FGSPZA60 FGSPX---60	ZA COL	each each
	Cut to length Minimum length 0.8m	FGSPGA FGSPZA FGSPX--- FGSPT--- FGSPZM8---	GA ZA COL MATT ZM8	lin m lin m lin m lin m lin m
	Slotted available.			
	Stramit® Fascia Gutter also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 38.			
	ECSA = 8400mm ²			
Accessories				
	Concealed Bracket	FGSCBZA	ZA	each
	Gutter Clips (use with stiffeners to secure back of gutter)	FGSSBZA	Plain	each
	Stop End Plates (Universal L or R handed)	FGSEZA FGSEX--- FGSET---	ZA/GA COL Matt	each each each
	*All product ex-interstate supply. Please allow 5-10 working days for delivery.			
Stramit® Capping 	(suit Stramit® Fascia Gutter) Cut to Length Minimum length 0.8m	FGBCZA FGBCX---	ZA COL	lin m lin m
EASIFLOW GUTTER • ACCESSORIES				
Stramit® Easiflow 	High Tensile G550 Stock Length 6.0m	EGPZA60 EGPX---60	ZA COL	each each
	Cut to length Minimum length 0.8m Slotted available	EGPZA EGPX---	ZA COL	lin m lin m lin m
ECSA = 7900mm ²				
Accessories				
	Concealed Bracket	EGCBZA	ZA	each
	Stop End Plates (Universal L or R handed)	EGSEZA EGSEX---	ZA COL	each each
	Stiffener Bracket (for metal fascia)	EGSB	ZA	each
	Snap Clip (for metal fascia)	FBSCZA	Coated	each

GUTTER • ACCESSORIES

Product Gutter/Accessories	Details	Code	Finish/BMT	Unit
Stramit O-Gee™ 	6.0m Stock lengths	OGZA60 OGX---60	ZA 0.55 COL 0.55	each each
	Cut to length Minimum length 0.8m	OGZA OGGA OGX---	ZA 0.55 GA 0.55 COL 0.55	lin m lin m lin m
	ECSA = 4700mm ²			
	Accessories			
	Concealed Bracket (Stiffener Bracket & Snap Clip available for Stramit® Fascia)	QV115CBZA	ZA	each
	External Bracket	OGEBZA OGEBX---	ZA Colour	each each
	Stiffener Brackets QV115 (for Stramit® Fascia)	QV115SBZA	ZA	each
	Snap Clips (for Stramit® Fascia)	FBSCZA	Coated	each
	Cast Cnr Angles (External)	OGCAEZA OGCAEX---	Plain Colour	each each
	Cast Cnr Angles (Internal)	OGCAIZA OGCAIX---	Plain Colour	each each
	Stop End Plates (Left Hand)	OGSELGA OGSELZA OGSELX---	GA ZA COL	each each each
	Stop End Plates (Right Hand)	OGSERGA OGSERZA OGSERX---	GA ZA COL	each each each

GUTTER • ACCESSORIES

Product Gutter/Accessories	Details	Code	Finish	Unit
Flatback Roundline 	6.0m	FBG133ZA60 FBG133X---60 FBG133T---60	ZA* COL* Matt	each each each
	Available to order only	FBG133ZA FBG133X--- FBG133T---	ZA* COL* Matt	lin metre lin metre each
	ECSA = 7800mm ²			
	Accessories			
	Concealed Bracket (to suit Flatback Roundline)	FBG133CBZA	GA*	each
	Stiffener Bracket	FBG133SBZA	ZA	each
		In multiples of 10 only, for fixing to Timber only		
		In multiples of 10 only, for fixing to Steel only		
	Cast Angles (Ext) To suit Flatback Roundline	FBG133CAEMF FBG133CAEX--- FBG133CAET---	ZA* COL* Matt	each each each
	Manuf. Angles (Int) To suit Flatback Roundline	FBG133CAIMF FBG133CAIX--- FBG133CAIT---	ZA* COL* Matt	each each each
	Stop End Plates (LH) To suit Flatback Roundline	FBG133SELZA FBG133SELX--- FBG133SELT---	ZA/GA* COL* Matt	each each each
	Stop End Plates (RH) To suit Flatback Roundline	FBG133SERZA FBG133SERX--- FBG133SERT---	ZA/GA* COL* Matt	each each each
150mm Half Round 	6.0m	HRG150ZA60 HRG150X---60	ZA* COL*	each each
	Limited colour range available ex stock	HRG150ZA HRG150X--- HRG150T---	ZA* COL* Matt	lin metre lin metre each
	ECSA = 7700mm ²			
	Accessories			
	External Bracket (to suit Standard only)	HRG150EBGA HRG150EBX--- HRG150EBT---	GA* COL* Matt	each each each
		In multiples of 10 only		
		In multiples of 10 only		
		In multiples of 10 only		
	Cast Angles (Ext) To suit 150mm Half Round	HRG150CAEMF HRG150CAEX--- HRG150CAET---	ZA* COL* Matt	each each each
	Manuf. Angles (Int) To suit 150mm Half Round	HRG150CAIMF HRG150CAIX--- HRG150CAIT---	ZA* COL* Matt	each each each
	Stop End Plates (LH) To suit 150mm Half Round	HRG150SELZA HRG150SELX--- HRG150SELT---	ZA/GA* COL* Matt	each each each
	Stop End Plates (RH) To suit 150mm Half Round	HRG150SERZA HRG150SERX--- HRG150SERT---	ZA/GA* COL* Matt	each each each

*All product ex-interstate supply. Please allow 5-10 working days for delivery.

PREMIUM PRODUCTS • FASCIA • GUTTER • ACCESSORIES

Product	Details	BMT mm	Finish	Code	Unit
Stramit® Quad 115		0.42	COL Ultra	QV115PU---	lin metre
	Internal Brackets		Standard ZA	QV115CBZA---	each
Stramit® Fascia Board		0.42	COL Ultra	FBU---	lin metre
Stramit® Fascia Gutter		0.42	COL Ultra	FGSPU---	lin metre
	Internal Brackets		Standard ZA	FGSCBZA	each
Stramit® Roll Top Ridge		0.42	COL Ultra	RTR42U---	lin metre

COLORBOND® STEEL COLOUR AVAILABILITY

COLORBOND® ULTRA STEEL		COLORBOND® METALLIC STEEL		COLORBOND® COOLMAX® STEEL		COLORBOND® STEEL MATT	
DUN	DUNE®	ARI	ARIES®	WHN	WHITEHAVEN®	BAS	BASALT® MATT
MON	MONUMENT®	AST	ASTRO®			MON	MONUMENT® MATT
SUR	SURFMIST®	CEL	CELESTIAN®			SUR	SURFMIST® MATT
WLB	WALLABY®	COS	COSMIC®				
WSP	WINDSPRAY®	GLT	GALACTIC®				
WDG	WOODLAND GREY®	RHE	RHEA®				

Most products also available in plain aluminium and plain copper – ask for details.

RECTANGULAR DOWNPIPE & ACCESSORIES • GA/ZA

Product	Size	Code
Downpipe/Accessories	Standard 0.40 BMT	
Stramit® Downpipe	100 x 50 x 1800	DP10050GA/ZA18
Rectangular	100 x 75 x 1800	DP10075ZA18
(Plain Faced)	100 x 50 x 2400	DP10050GA/ZA24
	100 x 75 x 2400	DP10075GA/ZA24

Stramit® Downpipe also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 34

Accessories	Stramit® Astragals (Straps)	Code
	100 x 50	AST10050GA/ZA
	100 x 75	AST10075GA/ZA
	Stramit® Nozzles (Pops)	
	100 x 50	NOZ10050GA/ZA
	100 x 75	NOZ10075ZA
	Shoes (45°)	
	100 x 50	SHOE10050GA
	100 x 75	SHOE10075GA
	Leaf Guards	
	100 x 50	LG10050GA

RECTANGULAR DOWNPIPE & ACCESSORIES • COLOUR

Stramit® Downpipe	100 x 50 x 1800	DP10050X---18
Rectangular		DP10050T---18
	100 x 75 x 1800	DP10075X---18
(Plain Faced)		DP10075T---18
	100 x 50 x 2400	DP10050X---24
		DP10050T---24
	100 x 75 x 2400	DP10075X---24
		DP10075T---24

Stramit® Downpipe also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 38

Accessories	Stramit® Astragals (Straps)	Code
	100 x 50	AST10050X---
		AST10050T---
	100 x 75	AST10075X---
		AST10075T---
	Offsets (450mm - 600mm)	
	Standard 0.40 BMT	
	100 x 50	OS10050X---
	100 x 75	OS10075X---

ROUND DOWNPIPE & ACCESSORIES • GA/ZA

Product	Size	Code
Downpipe Round (Tapered Ends)	Standard 0.40 BMT	
	50 x 1800	DP50GA/ZA18
	65 x 1800	DP65GA/ZA18
	75 x 1800	DP75GA/ZA18
	100 x 1800	DP100GA/ZA18
	65 x 2400	DP65GA/ZA24
	75 x 2400	DP75GA/ZA24
	100 x 2400	DP100GA/ZA24
	<i>*Item not normally stocked, available to order</i>	

Accessories	Stramit® Astragals (Straps)
	50mm AST50GA/ZA
	65mm AST65ZA
	75mm AST75GA/ZA
	100mm AST100GA/ZA
	Stramit® Nozzles (Pops)
	50mm NOZ50GA/ZA
	65mm NOZ65GA/ZA
	75mm NOZ75GA/ZA
	90mm NOZ90GA/ZA
100mm NOZ100GA/ZA	
	Offsets (450mm - 600mm)
	65mm OS65GA/ZA
	75mm OS75GA/ZA
100mm OS100GA/ZA	
	Leaf Guard 75mm LG75GA

ROUND DOWNPIPE & ACCESSORIES • COLOUR

Downpipe Round (Tapered Ends)	50 x 1800	DP50X---18
	65 x 1800	DP65X---18
	75 x 1800	DP75X---18
	100 x 1800	DP100X---18
	65 x 2400	DP65X---24
	75 x 2400	DP75X---24
	100 x 2400	DP100X---24

Accessories	Stramit® Astragals (Straps)
	50mm AST50X---
	65mm AST65X---
	75mm AST75X---
	100mm AST100X---
	Offsets (450mm - 600mm)
	65mm OS65X---

CUSTOM FLASHINGS - ORDERING PROCEDURE

ORDERING PROCEDURE

1. Choose the appropriate profile type, material and finish
2. If COL, nominate the side on which colour is required
3. Nominate the dimensions by the letters shown on diagrams
4. Nominate the angles on all bends
5. Nominate the quantity and length of profile

EXAMPLE

1. Type 4, Pale Eucalypt®
2. Colour on side C
3. A - 15mm, B - 100mm, C - 150mm, D - 150mm
4. COL = 90°, CD = 90°, AB = 45°
5. 1 off, 4.800m

Type 1 Ridge Capping	Type 2 Box Gutter	Type 3 Box Gutter	Type 4 Parapet Capping	Type 5 Decorative Barge Cap	Type 6 Underflashing
Type 7 Corner Flashing or Cap	Type 8 Lear Box Gutter	Type 9 Cap Flashing	Type 10 Valley Gutter	Type 11 Overflashing	Type 12 Decorative Barge Cap
Type 13 Barge Capping	Type 14 Combined Barge Cap & Soaker for tiles	Type 15 Under & Overflashing	Type 16 Sheet or Fence Cap	Type 17 Soaker Flashing	Type 18 Under & Overflashing
Type 19 Tapered Underflashing	Type 20 Tapered Parapet Cap	Type 21 Combined Foot & Overflashing	Type 22 Concealed Gutter	Type 23 Combined Foot & Capping	Type 24 Combined Foot & Barge Capping
Type 25 Clad Corner Flashing	Type 26 Clad Foot Flashing	Type 27 Tapered Box Gutter	Type 28 Combined Barge & Overflashing	Type 29 Fascia Gutter	Type 30 Tile to Deck Cover Flashing
Type 31 Peninsula Barge Cap	Type 32 Clad or Panel Join	Type 33 Clad or Panel Ext. Corner	Type 34 Clad or Panel Int. Corner	Concealed Gutter & Capping Typical Dimensions Custom made to suit	

CUSTOM FLASHINGS & FLAT SHEET

ZINCALUME® STEEL BMT 0.55

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00ZA	CF055B01ZA	CF055B02ZA	CF055B03ZA	CF055B04ZA	CF055B05ZA	CF055B06ZA	CF055B07ZA
101-150 (C)	CF055C00ZA	CF055C01ZA	CF055C02ZA	CF055C03ZA	CF055C04ZA	CF055C05ZA	CF055C06ZA	CF055C07ZA
151-200 (D)	CF055D00ZA	CF055D01ZA	CF055D02ZA	CF055D03ZA	CF055D04ZA	CF055D05ZA	CF055D06ZA	CF055D07ZA
201-250 (E)	CF055E00ZA	CF055E01ZA	CF055E02ZA	CF055E03ZA	CF055E04ZA	CF055E05ZA	CF055E06ZA	CF055E07ZA
251-300 (F)	CF055F00ZA	CF055F01ZA	CF055F02ZA	CF055F03ZA	CF055F04ZA	CF055F05ZA	CF055F06ZA	CF055F07ZA
301-350 (G)	CF055G00ZA	CF055G01ZA	CF055G02ZA	CF055G03ZA	CF055G04ZA	CF055G05ZA	CF055G06ZA	CF055G07ZA
351-400 (H)	CF055H00ZA	CF055H01ZA	CF055H02ZA	CF055H03ZA	CF055H04ZA	CF055H05ZA	CF055H06ZA	CF055H07ZA
401-500 (J)	CF055J00ZA	CF055J01ZA	CF055J02ZA	CF055J03ZA	CF055J04ZA	CF055J05ZA	CF055J06ZA	CF055J07ZA
501-600 (L)	CF055L00ZA	CF055L01ZA	CF055L02ZA	CF055L03ZA	CF055L04ZA	CF055L05ZA	CF055L06ZA	CF055L07ZA
601-700 (N)	CF055N00ZA	CF055N01ZA	CF055N02ZA	CF055N03ZA	CF055N04ZA	CF055N05ZA	CF055N06ZA	CF055N07ZA
701-800 (P)	CF055P00ZA	CF055P01ZA	CF055P02ZA	CF055P03ZA	CF055P04ZA	CF055P05ZA	CF055P06ZA	CF055P07ZA
801-900 (R)	CF055R00ZA	CF055R01ZA	CF055R02ZA	CF055R03ZA	CF055R04ZA	CF055R05ZA	CF055R06ZA	CF055R07ZA
901-1000 (T)	CF055T00ZA	CF055T01ZA	CF055T02ZA	CF055T03ZA	CF055T04ZA	CF055T05ZA	CF055T06ZA	CF055T07ZA
1001-1100 (V)	CF055V00ZA	CF055V01ZA	CF055V02ZA	CF055V03ZA	CF055V04ZA	CF055V05ZA	CF055V06ZA	CF055V07ZA
1101-1200 (X)	CF055X00ZA	CF055X01ZA	CF055X02ZA	CF055X03ZA	CF055X04ZA	CF055X05ZA	CF055X06ZA	CF055X07ZA

COLORBOND® STEEL BMT 0.55

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00X---	CF055B01X---	CF055B02X---	CF055B03X---	CF055B04X---	CF055B05X---	CF055B06X---	CF055B07X---
101-150 (C)	CF055C00X---	CF055C01X---	CF055C02X---	CF055C03X---	CF055C04X---	CF055C05X---	CF055C06X---	CF055C07X---
151-200 (D)	CF055D00X---	CF055D01X---	CF055D02X---	CF055D03X---	CF055D04X---	CF055D05X---	CF055D06X---	CF055D07X---
201-250 (E)	CF055E00X---	CF055E01X---	CF055E02X---	CF055E03X---	CF055E04X---	CF055E05X---	CF055E06X---	CF055E07X---
251-300 (F)	CF055F00X---	CF055F01X---	CF055F02X---	CF055F03X---	CF055F04X---	CF055F05X---	CF055F06X---	CF055F07X---
301-350 (G)	CF055G00X---	CF055G01X---	CF055G02X---	CF055G03X---	CF055G04X---	CF055G05X---	CF055G06X---	CF055G07X---
351-400 (H)	CF055H00X---	CF055H01X---	CF055H02X---	CF055H03X---	CF055H04X---	CF055H05X---	CF055H06X---	CF055H07X---
401-500 (J)	CF055J00X---	CF055J01X---	CF055J02X---	CF055J03X---	CF055J04X---	CF055J05X---	CF055J06X---	CF055J07X---
501-600 (L)	CF055L00X---	CF055L01X---	CF055L02X---	CF055L03X---	CF055L04X---	CF055L05X---	CF055L06X---	CF055L07X---
601-700 (N)	CF055N00X---	CF055N01X---	CF055N02X---	CF055N03X---	CF055N04X---	CF055N05X---	CF055N06X---	CF055N07X---
701-800 (P)	CF055P00X---	CF055P01X---	CF055P02X---	CF055P03X---	CF055P04X---	CF055P05X---	CF055P06X---	CF055P07X---
801-900 (R)	CF055R00X---	CF055R01X---	CF055R02X---	CF055R03X---	CF055R04X---	CF055R05X---	CF055R06X---	CF055R07X---
901-1000 (T)	CF055T00X---	CF055T01X---	CF055T02X---	CF055T03X---	CF055T04X---	CF055T05X---	CF055T06X---	CF055T07X---
1001-1100 (V)	CF055V00X---	CF055V01X---	CF055V02X---	CF055V03X---	CF055V04X---	CF055V05X---	CF055V06X---	CF055V07X---
1101-1200 (X)	CF055X00X---	CF055X01X---	CF055X02X---	CF055X03X---	CF055X04X---	CF055X05X---	CF055X06X---	CF055X07X---

GA BMT 0.55

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00GA	CF055B01GA	CF055B02GA	CF055B03GA	CF055B04GA	CF055B05GA	CF055B06GA	CF055B07GA
101-150 (C)	CF055C00GA	CF055C01GA	CF055C02GA	CF055C03GA	CF055C04GA	CF055C05GA	CF055C06GA	CF055C07GA
151-200 (D)	CF055D00GA	CF055D01GA	CF055D02GA	CF055D03GA	CF055D04GA	CF055D05GA	CF055D06GA	CF055D07GA
201-250 (E)	CF055E00GA	CF055E01GA	CF055E02GA	CF055E03GA	CF055E04GA	CF055E05GA	CF055E06GA	CF055E07GA
251-300 (F)	CF055F00GA	CF055F01GA	CF055F02GA	CF055F03GA	CF055F04GA	CF055F05GA	CF055F06GA	CF055F07GA
301-350 (G)	CF055G00GA	CF055G01GA	CF055G02GA	CF055G03GA	CF055G04GA	CF055G05GA	CF055G06GA	CF055G07GA
351-400 (H)	CF055H00GA	CF055H01GA	CF055H02GA	CF055H03GA	CF055H04GA	CF055H05GA	CF055H06GA	CF055H07GA
401-500 (J)	CF055J00GA	CF055J01GA	CF055J02GA	CF055J03GA	CF055J04GA	CF055J05GA	CF055J06GA	CF055J07GA
501-600 (L)	CF055L00GA	CF055L01GA	CF055L02GA	CF055L03GA	CF055L04GA	CF055L05GA	CF055L06GA	CF055L07GA
601-700 (N)	CF055N00GA	CF055N01GA	CF055N02GA	CF055N03GA	CF055N04GA	CF055N05GA	CF055N06GA	CF055N07GA
701-800 (P)	CF055P00GA	CF055P01GA	CF055P02GA	CF055P03GA	CF055P04GA	CF055P05GA	CF055P06GA	CF055P07GA
801-900 (R)	CF055R00GA	CF055R01GA	CF055R02GA	CF055R03GA	CF055R04GA	CF055R05GA	CF055R06GA	CF055R07GA
901-1000 (T)	CF055T00GA	CF055T01GA	CF055T02GA	CF055T03GA	CF055T04GA	CF055T05GA	CF055T06GA	CF055T07GA
1001-1100 (V)	CF055V00GA	CF055V01GA	CF055V02GA	CF055V03GA	CF055V04GA	CF055V05GA	CF055V06GA	CF055V07GA
1101-1200 (X)	CF055X00GA	CF055X01GA	CF055X02GA	CF055X03GA	CF055X04GA	CF055X05GA	CF055X06GA	CF055X07GA

Minimum length 1 metre / Maximum length 8 metres

ZINCALUME® STEEL BMT 0.75 (Heavy)

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF075B00ZA	CF075B01ZA	CF075B02ZA	CF075B03ZA	CF075B04ZA	CF075B05ZA	CF075B06ZA	CF075B07ZA
101-150 (C)	CF075C00ZA	CF075C01ZA	CF075C02ZA	CF075C03ZA	CF075C04ZA	CF075C05ZA	CF075C06ZA	CF075C07ZA
151-200 (D)	CF075D00ZA	CF075D01ZA	CF075D02ZA	CF075D03ZA	CF075D04ZA	CF075D05ZA	CF075D06ZA	CF075D07ZA
201-250 (E)	CF075E00ZA	CF075E01ZA	CF075E02ZA	CF075E03ZA	CF075E04ZA	CF075E05ZA	CF075E06ZA	CF075E07ZA
251-300 (F)	CF075F00ZA	CF075F01ZA	CF075F02ZA	CF075F03ZA	CF075F04ZA	CF075F05ZA	CF075F06ZA	CF075F07ZA
301-350 (G)	CF075G00ZA	CF075G01ZA	CF075G02ZA	CF075G03ZA	CF075G04ZA	CF075G05ZA	CF075G06ZA	CF075G07ZA
351-400 (H)	CF075H00ZA	CF075H01ZA	CF075H02ZA	CF075H03ZA	CF075H04ZA	CF075H05ZA	CF075H06ZA	CF075H07ZA
401-500 (J)	CF075J00ZA	CF075J01ZA	CF075J02ZA	CF075J03ZA	CF075J04ZA	CF075J05ZA	CF075J06ZA	CF075J07ZA
501-600 (L)	CF075L00ZA	CF075L01ZA	CF075L02ZA	CF075L03ZA	CF075L04ZA	CF075L05ZA	CF075L06ZA	CF075L07ZA
601-700 (N)	CF075N00ZA	CF075N01ZA	CF075N02ZA	CF075N03ZA	CF075N04ZA	CF075N05ZA	CF075N06ZA	CF075N07ZA
701-800 (P)	CF075P00ZA	CF075P01ZA	CF075P02ZA	CF075P03ZA	CF075P04ZA	CF075P05ZA	CF075P06ZA	CF075P07ZA
801-900 (R)	CF075R00ZA	CF075R01ZA	CF075R02ZA	CF075R03ZA	CF075R04ZA	CF075R05ZA	CF075R06ZA	CF075R07ZA
901-1000 (T)	CF075T00ZA	CF075T01ZA	CF075T02ZA	CF075T03ZA	CF075T04ZA	CF075T05ZA	CF075T06ZA	CF075T07ZA
1001-1100 (V)	CF075V00ZA	CF075V01ZA	CF075V02ZA	CF075V03ZA	CF075V04ZA	CF075V05ZA	CF075V06ZA	CF075V07ZA
1101-1200 (X)	CF075X00ZA	CF075X01ZA	CF075X02ZA	CF075X03ZA	CF075X04ZA	CF075X05ZA	CF075X06ZA	CF075X07ZA

Flat Sheet Orders

Flat sheet cannot be supplied as a "roll up" and will incur a palletisation charge.

Minimum length 1 metre

Stramit® Custom Flashing also available in the BlueScope Steel Premium Products range of colours for severe environments, refer page 45

NOTE:

Stramit® Custom Flashings have a minimum Charged length of 1 metre - if you order lengths less than a metre the charge is still for 1 metre even if multiple lengths are ordered.

Gutter Board & Gutter Brackets

Item	Code	Unit
Longspan Gutter Board		
550mm Wide, 6.1 LM	LSGB55ZA6100	each
750mm Wide, 6.1 LM	LSGB75IAZ6100	each
Box Gutter Brackets (Adjustable)		
24 per box	BGBA1EAZA	each
24 per box	BGBA2EAZA	each
16 per box	BGBA3EAZA	each

Order by Fax For best results, send your profile details by Fax (refer nos. on top of page). Ask for our Stramit Flashing Detail Pad.

PREMIUM PRODUCTS • FLASHINGS

COLORBOND® ULTRA STEEL 0.55mm BMT

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00U---	CF055B01U---	CF055B02U---	CF055B03U---	CF055B04U---	CF055B05U---	CF055B06U---	CF055B07U---
101-150 (C)	CF055C00U---	CF055C01U---	CF055C02U---	CF055C03U---	CF055C04U---	CF055C05U---	CF055C06U---	CF055C07U---
151-200 (D)	CF055D00U---	CF055D01U---	CF055D02U---	CF055D03U---	CF055D04U---	CF055D05U---	CF055D06U---	CF055D07U---
201-250 (E)	CF055E00U---	CF055E01U---	CF055E02U---	CF055E03U---	CF055E04U---	CF055E05U---	CF055E06U---	CF055E07U---
251-300 (F)	CF055F00U---	CF055F01U---	CF055F02U---	CF055F03U---	CF055F04U---	CF055F05U---	CF055F06U---	CF055F07U---
301-350 (G)	CF055G00U---	CF055G01U---	CF055G02U---	CF055G03U---	CF055G04U---	CF055G05U---	CF055G06U---	CF055G07U---
351-400 (H)	CF055H00U---	CF055H01U---	CF055H02U---	CF055H03U---	CF055H04U---	CF055H05U---	CF055H06U---	CF055H07U---
401-500 (J)	CF055J00U---	CF055J01U---	CF055J02U---	CF055J03U---	CF055J04U---	CF055J05U---	CF055J06U---	CF055J07U---
501-600 (L)	CF055L00U---	CF055L01U---	CF055L02U---	CF055L03U---	CF055L04U---	CF055L05U---	CF055L06U---	CF055L07U---
601-700 (N)	CF055N00U---	CF055N01U---	CF055N02U---	CF055N03U---	CF055N04U---	CF055N05U---	CF055N06U---	CF055N07U---
701-800 (P)	CF055P00U---	CF055P01U---	CF055P02U---	CF055P03U---	CF055P04U---	CF055P05U---	CF055P06U---	CF055P07U---
801-900 (R)	CF055R00U---	CF055R01U---	CF055R02U---	CF055R03U---	CF055R04U---	CF055R05U---	CF055R06U---	CF055R07U---
901-1000 (T)	CF055T00U---	CF055T01U---	CF055T02U---	CF055T03U---	CF055T04U---	CF055T05U---	CF055T06U---	CF055T07U---
1001-1100 (V)	CF055V00U---	CF055V01U---	CF055V02U---	CF055V03U---	CF055V04U---	CF055V05U---	CF055V06U---	CF055V07U---
1101-1200 (X)	CF055X00U---	CF055X01U---	CF055X02U---	CF055X03U---	CF055X04U---	CF055X05U---	CF055X06U---	CF055X07U---

COLORBOND® METALLIC STEEL 0.55mm BMT

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00M---	CF055B01M---	CF055B02M---	CF055B03M---	CF055B04M---	CF055B05M---	CF055B06M---	CF055B07M---
101-150 (C)	CF055C00M---	CF055C01M---	CF055C02M---	CF055C03M---	CF055C04M---	CF055C05M---	CF055C06M---	CF055C07M---
151-200 (D)	CF055D00M---	CF055D01M---	CF055D02M---	CF055D03M---	CF055D04M---	CF055D05M---	CF055D06M---	CF055D07M---
201-250 (E)	CF055E00M---	CF055E01M---	CF055E02M---	CF055E03M---	CF055E04M---	CF055E05M---	CF055E06M---	CF055E07M---
251-300 (F)	CF055F00M---	CF055F01M---	CF055F02M---	CF055F03M---	CF055F04M---	CF055F05M---	CF055F06M---	CF055F07M---
301-350 (G)	CF055G00M---	CF055G01M---	CF055G02M---	CF055G03M---	CF055G04M---	CF055G05M---	CF055G06M---	CF055G07M---
351-400 (H)	CF055H00M---	CF055H01M---	CF055H02M---	CF055H03M---	CF055H04M---	CF055H05M---	CF055H06M---	CF055H07M---
401-500 (J)	CF055J00M---	CF055J01M---	CF055J02M---	CF055J03M---	CF055J04M---	CF055J05M---	CF055J06M---	CF055J07M---
501-600 (L)	CF055L00M---	CF055L01M---	CF055L02M---	CF055L03M---	CF055L04M---	CF055L05M---	CF055L06M---	CF055L07M---
601-700 (N)	CF055N00M---	CF055N01M---	CF055N02M---	CF055N03M---	CF055N04M---	CF055N05M---	CF055N06M---	CF055N07M---
701-800 (P)	CF055P00M---	CF055P01M---	CF055P02M---	CF055P03M---	CF055P04M---	CF055P05M---	CF055P06M---	CF055P07M---
801-900 (R)	CF055R00M---	CF055R01M---	CF055R02M---	CF055R03M---	CF055R04M---	CF055R05M---	CF055R06M---	CF055R07M---
901-1000 (T)	CF055T00M---	CF055T01M---	CF055T02M---	CF055T03M---	CF055T04M---	CF055T05M---	CF055T06M---	CF055T07M---
1001-1100 (V)	CF055V00M---	CF055V01M---	CF055V02M---	CF055V03M---	CF055V04M---	CF055V05M---	CF055V06M---	CF055V07M---
1101-1200 (X)	CF055X00M---	CF055X01M---	CF055X02M---	CF055X03M---	CF055X04M---	CF055X05M---	CF055X06M---	CF055X07M---

COLORBOND® COOLMAX® STEEL 0.55mm BMT

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00KWHN	CF055B01KWHN	CF055B02KWHN	CF055B03KWHN	CF055B04KWHN	CF055B05KWHN	CF055B06KWHN	CF055B07KWHN
101-150 (C)	CF055C00KWHN	CF055C01KWHN	CF055C02KWHN	CF055C03KWHN	CF055C04KWHN	CF055C05KWHN	CF055C06KWHN	CF055C07KWHN
151-200 (D)	CF055D00KWHN	CF055D01KWHN	CF055D02KWHN	CF055D03KWHN	CF055D04KWHN	CF055D05KWHN	CF055D06KWHN	CF055D07KWHN
201-250 (E)	CF055E00KWHN	CF055E01KWHN	CF055E02KWHN	CF055E03KWHN	CF055E04KWHN	CF055E05KWHN	CF055E06KWHN	CF055E07KWHN
251-300 (F)	CF055F00KWHN	CF055F01KWHN	CF055F02KWHN	CF055F03KWHN	CF055F04KWHN	CF055F05KWHN	CF055F06KWHN	CF055F07KWHN
301-350 (G)	CF055G00KWHN	CF055G01KWHN	CF055G02KWHN	CF055G03KWHN	CF055G04KWHN	CF055G05KWHN	CF055G06KWHN	CF055G07KWHN
351-400 (H)	CF055H00KWHN	CF055H01KWHN	CF055H02KWHN	CF055H03KWHN	CF055H04KWHN	CF055H05KWHN	CF055H06KWHN	CF055H07KWHN
401-500 (J)	CF055J00KWHN	CF055J01KWHN	CF055J02KWHN	CF055J03KWHN	CF055J04KWHN	CF055J05KWHN	CF055J06KWHN	CF055J07KWHN
501-600 (L)	CF055L00KWHN	CF055L01KWHN	CF055L02KWHN	CF055L03KWHN	CF055L04KWHN	CF055L05KWHN	CF055L06KWHN	CF055L07KWHN
601-700 (N)	CF055N00KWHN	CF055N01KWHN	CF055N02KWHN	CF055N03KWHN	CF055N04KWHN	CF055N05KWHN	CF055N06KWHN	CF055N07KWHN
701-800 (P)	CF055P00KWHN	CF055P01KWHN	CF055P02KWHN	CF055P03KWHN	CF055P04KWHN	CF055P05KWHN	CF055P06KWHN	CF055P07KWHN
801-900 (R)	CF055R00KWHN	CF055R01KWHN	CF055R02KWHN	CF055R03KWHN	CF055R04KWHN	CF055R05KWHN	CF055R06KWHN	CF055R07KWHN
901-1000 (T)	CF055T00KWHN	CF055T01KWHN	CF055T02KWHN	CF055T03KWHN	CF055T04KWHN	CF055T05KWHN	CF055T06KWHN	CF055T07KWHN
1001-1100 (V)	CF055V00KWHN	CF055V01KWHN	CF055V02KWHN	CF055V03KWHN	CF055V04KWHN	CF055V05KWHN	CF055V06KWHN	CF055V07KWHN
1101-1200 (X)	CF055X00KWHN	CF055X01KWHN	CF055X02KWHN	CF055X03KWHN	CF055X04KWHN	CF055X05KWHN	CF055X06KWHN	CF055X07KWHN

COLORBOND® STEEL MATT 0.55 BMT

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00T---	CF055B01T---	CF055B02T---	CF055B03T---	CF055B04T---	CF055B05T---	CF055B06T---	CF055B07T---
101-150 (C)	CF055C00T---	CF055C01T---	CF055C02T---	CF055C03T---	CF055C04T---	CF055C05T---	CF055C06T---	CF055C07T---
151-200 (D)	CF055D00T---	CF055D01T---	CF055D02T---	CF055D03T---	CF055D04T---	CF055D05T---	CF055D06T---	CF055D07T---
201-250 (E)	CF055E00T---	CF055E01T---	CF055E02T---	CF055E03T---	CF055E04T---	CF055E05T---	CF055E06T---	CF055E07T---
251-300 (F)	CF055F00T---	CF055F01T---	CF055F02T---	CF055F03T---	CF055F04T---	CF055F05T---	CF055F06T---	CF055F07T---
301-350 (G)	CF055G00T---	CF055G01T---	CF055G02T---	CF055G03T---	CF055G04T---	CF055G05T---	CF055G06T---	CF055G07T---
351-400 (H)	CF055H00T---	CF055H01T---	CF055H02T---	CF055H03T---	CF055H04T---	CF055H05T---	CF055H06T---	CF055H07T---
401-500 (J)	CF055J00T---	CF055J01T---	CF055J02T---	CF055J03T---	CF055J04T---	CF055J05T---	CF055J06T---	CF055J07T---
501-600 (L)	CF055L00T---	CF055L01T---	CF055L02T---	CF055L03T---	CF055L04T---	CF055L05T---	CF055L06T---	CF055L07T---
601-700 (N)	CF055N00T---	CF055N01T---	CF055N02T---	CF055N03T---	CF055N04T---	CF055N05T---	CF055N06T---	CF055N07T---
701-800 (P)	CF055P00T---	CF055P01T---	CF055P02T---	CF055P03T---	CF055P04T---	CF055P05T---	CF055P06T---	CF055P07T---
801-900 (R)	CF055R00T---	CF055R01T---	CF055R02T---	CF055R03T---	CF055R04T---	CF055R05T---	CF055R06T---	CF055R07T---
901-1000 (T)	CF055T00T---	CF055T01T---	CF055T02T---	CF055T03T---	CF055T04T---	CF055T05T---	CF055T06T---	CF055T07T---
1001-1100 (V)	CF055V00T---	CF055V01T---	CF055V02T---	CF055V03T---	CF055V04T---	CF055V05T---	CF055V06T---	CF055V07T---
1101-1200 (X)	CF055X00T---	CF055X01T---	CF055X02T---	CF055X03T---	CF055X04T---	CF055X05T---	CF055X06T---	CF055X07T---

MAGNAFLOW 0.55 BMT

Girth Width (mm)	No of Bends							
	0	1	2	3	4	5	6	7
001-100 (B)	CF055B00ZM8---	CF055B01ZM8---	CF055B02ZM8---	CF055B03ZM8---	CF055B04ZM8---	CF055B05ZM8---	CF055B06ZM8---	CF055B07ZM8---
101-150 (C)	CF055C00ZM8---	CF055C01ZM8---	CF055C02ZM8---	CF055C03ZM8---	CF055C04ZM8---	CF055C05ZM8---	CF055C06ZM8---	CF055C07ZM8---
151-200 (D)	CF055D00ZM8---	CF055D01ZM8---	CF055D02ZM8---	CF055D03ZM8---	CF055D04ZM8---	CF055D05ZM8---	CF055D06ZM8---	CF055D07ZM8---
201-250 (E)	CF055E00ZM8---	CF055E01ZM8---	CF055E02ZM8---	CF055E03ZM8---	CF055E04ZM8---	CF055E05ZM8---	CF055E06ZM8---	CF055E07ZM8---
251-300 (F)	CF055F00ZM8---	CF055F01ZM8---	CF055F02ZM8---	CF055F03ZM8---	CF055F04ZM8---	CF055F05ZM8---	CF055F06ZM8---	CF055F07ZM8---
301-350 (G)	CF055G00ZM8---	CF055G01ZM8---	CF055G02ZM8---	CF055G03ZM8---	CF055G04ZM8---	CF055G05ZM8---	CF055G06ZM8---	CF055G07ZM8---
351-400 (H)	CF055H00ZM8---	CF055H01ZM8---	CF055H02ZM8---	CF055H03ZM8---	CF055H04ZM8---	CF055H05ZM8---	CF055H06ZM8---	CF055H07ZM8---
401-500 (J)	CF055J00ZM8---	CF055J01ZM8---	CF055J02ZM8---	CF055J03ZM8---	CF055J04ZM8---	CF055J05ZM8---	CF055J06ZM8---	CF055J07ZM8---
501-600 (L)	CF055L00ZM8---	CF055L01ZM8---	CF055L02ZM8---	CF055L03ZM8---	CF055L04ZM8---	CF055L05ZM8---	CF055L06ZM8---	CF055L07ZM8---
601-700 (N)	CF055N00ZM8---	CF055N01ZM8---	CF055N02ZM8---	CF055N03ZM8---	CF055N04ZM8---	CF055N05ZM8---	CF055N06ZM8---	CF055N07ZM8---
701-800 (P)	CF055P00ZM8---	CF055P01ZM8---	CF055P02ZM8---	CF055P03ZM8---	CF055P04ZM8---	CF055P05ZM8---	CF055P06ZM8---	CF055P07ZM8---
801-900 (R)	CF055R00ZM8---	CF055R01ZM8---	CF055R02ZM8---	CF055R03ZM8---	CF055R04ZM8---	CF055R05ZM8---	CF055R06ZM8---	CF055R07ZM8---
901-1000 (T)	CF055T00ZM8---	CF055T01ZM8---	CF055T02ZM8---	CF055T03ZM8---	CF055T04ZM8---	CF055T05ZM8---	CF055T06ZM8---	CF055T07ZM8---
1001-1100 (V)	CF055V00ZM8---	CF055V01ZM8---	CF055V02ZM8---	CF055V03ZM8---	CF055V04ZM8---	CF055V05ZM8---	CF055V06ZM8---	CF055V07ZM8---
1101-1200 (X)	CF055X00ZM8---	CF055X01ZM8---	CF055X02ZM8---	CF055X03ZM8---	CF055X04ZM8---	CF055X05ZM8---	CF055X06ZM8---	CF055X07ZM8---

COLORBOND® STEEL COLOUR AVAILABILITY

COLORBOND® ULTRA STEEL		COLORBOND® METALLIC STEEL		COLORBOND® COOLMAX® STEEL		COLORBOND® STEEL MATT	
DUN	DUNE®	ARI	ARIES®	WHN	WHITEHAVEN®	BAS	BASALT® MATT
MON	MONUMENT®	AST	ASTRO®			MON	MONUMENT® MATT
SUR	SURFMIST®	CEL	CELESTIAN®			SUR	SURFMIST® MATT
WLB	WALLABY®	COS	COSMIC®				
WSP	WINDSPRAY®	GLT	GALACTIC®				
WDG	WOODLAND GREY®	RHE	RHEA®				

Most products also available in plain aluminium and plain copper – ask for details.

Price per lineal metre.

Minimum length 1.0 metre.

Maximum length 8.0 metres.

Both subject to suitability of profile.

Stramit® Custom Flashings have a minimum Charged length of 1 metre - if you order lengths less than a metre the charge is still for 1 metre if multiple lengths are ordered.

Order by Fax For best results, send your profile details by Fax (refer nos. on top of page). Ask for our Stramit Flashing Detail Pad.

C & Z PURLINS

Product	Details	m/tonne	Size	Code	Unit Sch	
Stramit® Purlins and Girts Hi-Tensile Z350	Lightweight G550/G500	475.09	10012	C10012U	lin m	
		412.39	15010	C15010U	lin m	
		346.25	15012	C15012U	lin m	
	Standard G450	382.97	10015	C10015U	lin m	
		304.30	10019	C10019U	lin m	
		279.11	15015	C15015U	lin m	
		211.77	15019	C15019U	lin m	
		176.46	15024	C15024U	lin m	
		222.54	20015	C20015U	lin m	
		174.46	20019	C20019U	lin m	
		138.82	20024	C20024U	lin m	
		153.94	25019	C25019U	lin m	
		122.49	25024	C25024U	lin m	
		300/400 Series G450	99.15	30024	C30024U	lin m
			79.63	30030	C30030U	lin m
	81.98		35024	C35024U	lin m	
	65.84		35030	C35030U	lin m	
	81.98		40024	C40024U	lin m	
65.84	40030	C40030U	lin m			
Downturn Lip setup charge Sizes from 100mm up available in C or Z profile, punched or unpunched Downturn Lip & Lapped Downturn Lip (except in C&Z100 and C75) available subject to lead time & price Also available in ZAM, refer page 48						
Stramit® Fascia Purlins	Fscia Pur Flute Pnch		23019	FP23019FP	lin m	
	Fscia Pur Flute Unpnc		23019	FP23019FU	lin m	
Allow extra lead time.						
Stramit® Easifloor Edge Bearer			15019	EFEB15019	lin m	
			15024	EFEB15024	lin m	
Lengths under 1.6LM incur a cutback charge				CUTBACKLTH	each	
Coating note: Coating supplied is Z350 galvanised. Please check availability at time of order.		Note: Downturn Lip (except for C&Z100) available on jobs – POA. Lapped Downturn Lip Z (except for C&Z100) also available on jobs – POA. Downturn Lip extra charge depending on volume.				

Stramit® Purlins and Girts Dimensions

C Sections						Z Sections						
Sections	Web Depth mm	Flange Width mm	Lip Length mm	Thickness BMT mm	Section Mass kg/m	Sections	Web Depth mm	Broad Flange mm	Narrow Flange mm	Lip Length mm	Thickness BMT mm	Section Mass kg/m
C10010	102	51	12.5	1.0	1.77	Z10010	102	53	49	12.5	1.0	1.77
C10012	102	51	13.0	1.2	2.10	Z10012	102	53	49	13.0	1.2	2.10
C10015	102	51	14.0	1.5	2.61	Z10015	102	53	49	14.0	1.5	2.61
C10019	102	51	15.0	1.9	3.29	Z10019	102	53	49	15.0	1.9	3.29
C15010	152	64	14.5	1.0	2.42	Z15010	152	65	61	14.5	1.0	2.42
C15012	152	64	15.0	1.2	2.89	Z15012	152	65	61	15.0	1.2	2.89
C15015	152	64	16.0	1.5	3.58	Z15015	152	65	61	16.0	1.5	3.58
C15019	152	64	17.0	1.9	4.51	Z15019	152	65	61	17.0	1.9	4.51
C15024	152	64	18.5	2.4	5.67	Z15024	152	65	61	18.5	2.4	5.67
C20015	203	76	16.0	1.5	4.49	Z20015	203	79	74	16.0	1.5	4.49
C20019	203	76	19.5	1.9	5.73	Z20019	203	79	74	19.5	1.9	5.73
C20024	203	76	21.0	2.4	7.20	Z20024	203	79	74	21.0	2.4	7.20
C25019	254	76	19.0	1.9	6.50	Z25019	254	79	74	19.0	1.9	6.50
C25024	254	76	20.5	2.4	8.16	Z25024	254	79	74	20.5	2.4	8.16
C30024	300	96	28.0	2.4	10.18	Z30024	300	100	93	28.0	2.4	10.18
C30030	300	96	31.5	3.0	12.68	Z30030	300	100	93	31.5	3.0	12.68
C35024	350	125	29.5	2.4	12.20	Z35024	350	129	122	29.5	2.4	12.20
C35030	350	125	30.0	3.0	15.19	Z35030	350	129	121	30.0	3.0	15.19
C40024	400	96	35.0	2.4	12.20	Z40024	400	100	93	35.0	2.4	12.20
C40030	400	96	33.5	3.0	15.19	Z40030	400	100	93	33.5	3.0	15.19

C & Z PURLINS - EXACTA RANGE

Product C & Z Purlins	Details	Code	m/tonne	Unit
Stramit® Exacta Purlins	'Z' Profile Range	Z15012EXP	* substitute "P" with "U" in	lin metre
		Z15015EXP	code for unpunched purlins	lin metre
		Z15019EXP		lin metre
		Z15024EXP		lin metre
		Z20012EXP		lin metre
		Z20015EXP		lin metre
		Z20019EXP		lin metre
		Z20024EXP		lin metre
		Z25019EXP		lin metre
	'C' Profile Range	C15012EXP	* substitute "P" with "U" in	lin metre
		C15015EXP	code for unpunched purlins	lin metre
		C15019EXP		lin metre
		C15024EXP		lin metre
		C20012EXP		lin metre
		C20015EXP		lin metre
		C20019EXP		lin metre
		C20024EXP		lin metre
		C25019EXP		lin metre
Coatings note: Coating supplied is z350 galvanised		CUTBACKLTH	each	
Lengths under 1.6LM incur a cutback charge				

STRAMIT EXACTA® C-PURLINS AND GIRTS – SIZE RANGE

Section	Web (mm)	Flange (mm)	Thickness (mm)
EC150-10	150	58	1.0
EC150-12	150	58	1.2
EC150-15	150	58	1.5
EC150-19	150	58	1.9
EC150-24	150	58	2.4
EC200-12	200	72	1.2
EC200-15	200	72	1.5
EC200-19	200	72	1.9
EC200-24	200	72	2.4
EC250-19	250	73	1.9
EC250-24	250	73	2.4
EC300-24	300	93	2.4
EC300-30	300	93	3.0
EC350-30	350	120	3.0

STRAMIT EXACTA® Z-PURLINS AND GIRTS – SIZE RANGE

Section	Web (mm)	Flange (mm)	Flange (mm)	Thickness (mm)
EZ150-10	150	57	61	1.0
EZ150-12	150	57	61	1.2
EZ150-15	150	57	61	1.5
EZ150-19	150	57	61	1.9
EZ150-24	150	57	61	2.4
EZ200-12	200	69	74	1.2
EZ200-15	200	69	74	1.5
EZ200-19	200	69	74	1.9
EZ200-24	200	69	74	2.4
EZ250-19	250	71	76	1.9
EZ250-24	250	71	76	2.4
EZ300-24	300	91	98	2.4
EZ300-30	300	91	98	3.0
EZ350-30	350	116	124	3.0

C & Z PURLINS - ZAM Coating for superior protection in severe environments

Product C & Z Purlins	Details	Code	kg/m	M/tonne	BMT (mm)	Unit
C & Z 10015 Sections	C/Z10015*IZM		2.635	379	1.5	per metre
C & Z 10019 Sections	C/Z10019*IZM		3.310	302	1.9	per metre
C & Z 15015 Sections	C/Z15015*IZM		3.562	281	1.5	per metre
C & Z 15019 Sections	C/Z15019*IZM		4.488	223	1.9	per metre
C & Z 15024 Sections	C/Z15024*IZM		5.750	174	2.4	per metre
C & Z 20015 Sections	C/Z20015*IZM		4.534	221	1.5	per metre
C & Z 20019 Sections	C/Z20019*IZM		5.705	175	1.9	per metre
C & Z 20024 Sections	C/Z20024*IZM		7.177	139	2.4	per metre
C & Z 25019 Sections	C/Z25019*IZM		6.466	155	1.9	per metre
C & Z 25024 Sections	C/Z25024*IZM		8.134	123	2.4	per metre
C & Z 30030 Sections	C/Z30030*IZM		12.640	79	3.0	per metre

* Substitute * for P = PUNCHED U = UNPUNCHED EXP = EXACTA PUNCHED EXU = EXACTA UNPUNCHED
Check coil availability - extended lead times may apply. Other sizes and gauges may be available subject to mill lead times and quantities. Min 1.7m length. Cutback fee for lengths under 1.7m - item code is CUTBACKLTH



New high-tech coating for severe environments

Stramit Building Products now offers the next generation of steel purlin and Condeck HP product manufactured from ZAM coated steel.

ZAM® is a technologically advanced coated steel that allows new installation possibilities in corrosive environments. By replacing the need for post-galvanising, ZAM® products also lower material costs and reduce project lead times.

ZAM® coated steel offers better corrosion protection than conventional galvanised steel (around three times the design life) at a lower cost than products with comparable performance.

ZAM® products perform well in salt or marine atmospheres and are superior to galvanised steel in acid rain, sulphur dioxide or ammonia conditions. They also perform well in alkaline environments. They are appropriate for use near marine environments, in enclosed swimming pool complexes, in poultry, cattle and pig shed environments, as well as in high industrial environments.

The superior scratch resistance of ZAM® products helps corrosion resistance in applications subject to repeated wear. ZAM® coated steel is also concrete compatible, making it an ideal material for steel formwork decking products.

ZAM® is offered by Stramit Building Products with up to a 20 year warranty, subject to standard terms and conditions. Call Stramit Building Products for more information.

ZAM HIGH DURABILITY PURLINS

Product C & Z Purlins	Details	Code	kg/m	M/tonne	BMT (mm)	Unit
ZAM High Durability Purlins	C & Z 10015 Sections	C10015PZM	2.635	379	1.5	lin metre
	C & Z 10019 Sections	C/Z10019*IZM	3.310	302	1.9	lin metre
	C & Z 15015 Sections	C/Z15015*IZM	3.562	281	1.5	lin metre
	C & Z 15019 Sections	C/Z15019*IZM	4.488	223	1.9	lin metre
	C & Z 15024 Sections	C/Z15024*IZM	5.750	174	2.4	lin metre
	C & Z 20015 Sections	C/Z20015*IZM	4.534	221	1.5	lin metre
	C & Z 20019 Sections	C/Z20019*IZM	5.705	175	1.9	lin metre
	C & Z 20024 Sections	C/Z20024*IZM	7.177	139	2.4	lin metre
	C & Z 25019 Sections	C/Z25019*IZM	6.466	155	1.9	lin metre
	C & Z 25024 Sections	C/Z25024*IZM	8.134	123	2.4	lin metre
	C & Z 30030 Sections	C/Z30030*IZM	12.640	79	3.0	lin metre

* Substitute * for P = PUNCHED U = UNPUNCHED EXP = EXACTA PUNCHED EXU = EXACTA UNPUNCHED
Check coil availability - extended lead times may apply
Other sizes and gauges may be available subject to mill lead times and quantities
Min 1.7m length
Cutback fee for lengths under 1.7m - item code is CUTBACKLTH

Purlins Ordering Available to order on approximately 3-5 days lead time subject to delivery days. No extra charge for hole punching. Notching and mitre cut charges do apply – POA. Allow 2 extra days.

ZAM Durability Statement (Date of issue 15 June 2004)

This statement is issued to Stramit® Building Products Pty Ltd by Nisshin Steel Co., Ltd on 15 June 2004 and states the expected durability of Nisshin Steel Co., Ltd corrosion resistant hot dip coated steel sheeting product ZAM™.

Performance

The corrosion resistance of ZAM coating is a minimum 3 times that of galvanised steel sheet. ZAM materials are made in accordance with AS 1397, purlins have a ZM350 coating and Condeck HP a ZM275 coating of protective, zinc, aluminium and magnesium. All ZAM products have the same material strength as normal product, and the normal purlin and Condeck HP load tables are valid when used with the ZAM material.

Typical Application

The superior corrosion resistance of ZAM coating means that it can replace hot dip galvanised steel. Applications are whenever severe and corrosive environments exist: intensive farming, agricultural applications, concrete contact and coastal applications.

ZAM, the highly corrosion-resistant hot dip coated steel sheet, is

- A new hot dip coated steel that has a coating layer of zinc, aluminium 6% and magnesium 3%
- The designation “ZAM” comes from the initials of its constituent elements Zinc, Aluminium, and Magnesium.

CUSTOM SECTIONS

Stramit® Custom Sections

GENERAL

At the forefront of technology, Stramit has designed the latest in computer technology roll forming equipment. This technology allows quick and easy profile changes to be made within the production cycle. This allows the production of special purlins or other shapes designed specifically for individual projects giving the best balance in performance and economy.

SIZE RANGE

Sections can be produced within the following parameters:

Web size	100mm	–	400mm
Flange size	30mm	–	130mm
Lip size	9mm	–	35mm *
Thickness	1.0mm	–	3.0mm
Material type	G300	–	G550 #

*Zero lip (i.e. plain channels) also available.

May vary dependent upon material thickness.

MODIFIED PURLINS

Modified purlins, Z, C or plain channel, use existing strip widths. This advantage of modifying sections within the bounds of existing strip materials allows improvements in performance – either strength or deflection – with ready access to available materials.

Lead times are, particularly if standard flange sizes are used, no more than for normal purlin orders.

CUSTOM SHAPES

Designed for specific purposes, these sections may be used for a variety of applications but usually require a specific strip size, which requires extended lead times for ordering and are subject to a minimum order quantity criteria.

TOOLING

Contact your local Stramit office for cost estimates for tooling of special flange sizes and any special holes.


HOLES

The facility to provide special holes at almost any location is also available.

LOAD TABLES

Section properties and load tables for modified or custom profiles may be possible for larger projects by means of the latest in computer programs written for this purpose.

SIZES AVAILABLE



DOWNTURN LIP – Standard & Lapped Z
These features are available on purlin projects – POA

Custom Sections Subject to special enquiry – POA. They are cut to length, custom punched from galvanised material. Alternative materials are available upon request.

PURLIN BRIDGING

BRIDGING

GENERAL INFORMATION

To enhance performance in longer spans, bridging is generally used. Where wind uplift loading is dominant, greater economy can generally be achieved by using additional bridging in the end spans. The performance of purlins is improved considerably when the roof or wall cladding is attached, so bridging is normally required to ensure easy installation of cladding. Generally, bridging spacing should not exceed 20 times the section's depth, (eg. over 3000mm for a 150mm deep section).

CONVENTIONAL BRIDGING/STRUTS

Conventional bridging usually consists of a suitable channel section fitted with end plates which is bolted between parallel purlins.

INSTALLATION OF Stramit® Bridging

Stramit® Bridging can be installed up or down the roof slope. The system includes adjustable ridge and fascia bridging and boltless intermediate members.

For convenience, start by installing the fascia bridging by bolting to the fascia purlin. Pass the locator end of the bridging through the purlin bridging holes, swing the bridge around to be perpendicular to the web of the purlin and lock any preceding bridge in place.

Proceed up the slope to the ridge and install the ridge bridging. The adjustable ridge bridge (turnbuckle) allows the purlins to be pulled straight and the adjustment mechanism in the fascia bridging can adjust the fascia purlin for straightness and twist. Please contact your local Stramit office for details of component assemblies suitable for other installation procedures.


HOLING

Purlins and girts have standard 18mm x 22mm holes punched to details supplied. Refer to punching schedule below.


Stramit® Purlin/Girt	'A' mm
C100	40 (A)
C150	60 (A) or 70 (VIC)
C200	110 (A)
C250	110 (VIC) or 160 (A)
C300	210 (A)
C350	260 (A)

'A' = A.I.S.C. > Hole Spacing

- NOTE: 1. Non standard hole centres are available.
2. Holes can be punched anywhere on purlin. (Incl Flange)
3. Round ϕ holes available, contact your local Stramit office for details.



Mark No.	Overall length	No. Required	Hole Centres (d)								Total Metres
As Drawn PI	6000	1	40	60	70	110	160	210	260	6	
Opp. Hand PA	6000	1	40	60	70	110	160	210	260	6	



BRIDGING • ACCESSORIES

Product	Details	Code	Size	Unit
Stramit® Bridging	Stramit® Bolted Bridging Maximum length 3.0m (110 or 160 H/C) (210 H/C)* (210 H/C)* Made from C15015 Purlin	BI100	100	lin m
		BI150	150	lin m
		BI200	200	lin m
		BI250	250	lin m
		BI300	300	lin m
	Adjustable Strut	BR100	100	lin m
		BR150	150	lin m
		BR200	200	lin m
		BR250	250	lin m
		Turnbuckle (Double eye)	BTB10	
Starter Clip	BSC100 BSC150 BSC200 BSC250	100 150 200 250	each each each each	
Sag Rod Fully Threaded	BSR16	16mm	lin m	
Stock Sag Rods	BSR12ZP----	12mm	lin m	
<i>Lengths 450, 550, 650, 750, 850, 950, 1050, 1150, 1250, 1350, 1450, 1550, 1650, 1750, 1850</i> <i>Allow 10 Day lead time for non stock sizes.</i>				
Accessories	General Purpose Bracket (to suit purlin size)	BGPB100GA	100	each
		BGPB150GA	150	each
		BGPB200GA	200	each
		BGPB250GA	250	each
	Clamp Plate (to suit purlin size)	BCP100GA	100	each
		BCP150GA	150	each
		BCP200GA	200	each
		BCP250GA	250	each
	Angle Connector (to suit purlin size)	BAC100	100	each
		BAC150	150	each
BAC200		200	each	
BAC250		250	each	
Raking Girt Bracket	BRGB100	100	each	
Purlin & Fascia Bolts M12 x 30 (GR4.6) Flanged	PB1230ZP		each	

FORMWORK


Product Formwork	Product Details	Code	BMT	Unit
Stramit Condeck HP® composite decking 	Hi Tensile steel G550 GA (300mm effective cover)	CONHP75LG	0.75	per m ²
		CONHP90LG	0.90	per m ²
		CONHP100LG	1.00	per m ²
	10 x 16 Hex Head SD (no neoprene washers)	S1016HTNN		per 1000
	Stramit Condeck Shades™ anti-reflective coating available allow extra lead time			per m ²
	For lap fixing refer to Stramit Condeck HP® composite decking brochures Other thicknesses available subject to quantity and lead time			
Stramit Condeck HP® ZAM 	Hi Tensile steel G550 300mm effective cover	CONHP100IZM	1.00	per m ²
	Stramit Condeck Shades™ anti-reflective coating available			per m ²
	10 x 16 Hex Teks (no neoprene washers)	S1016HTNNH		per 100
	For lap fixing refer to Stramit Condeck HP® composite decking brochures			

ZAM COATED CONDECK HP

The corrosion resistance of ZAM coating is a minimum 3 times that of galvanised steel sheet.

ZAM, the highly corrosion-resistant hot dip coated steel sheet, is

- A new hot dip coated steel that has a coating layer of zinc, aluminium 6% and magnesium 3%
- The designation "ZAM" comes from the initials of its constituent elements Zinc, Aluminium, and Magnesium.



Condeck HP® Plus	CONHPP100GA	lin metre
Product manufactured at Knoxfield – allow extra 1 or 2 days lead time for delivery outside metropolitan area – ask for details Other thicknesses available subject to quantity and lead time POA		

Stramit® Edgeforma	Height	Code	BMT	Unit
	100mm	CONEF100GA	0.95	lin m
	125mm	CONEF125GA	0.95	in m
	150mm	CONEF150GA	0.95	lin m
	175mm	CONEF175GA	0.95	lin m
	200mm	CONEF200GA	0.95	lin m
Available cut to length to maximum of 8.0m at listed rates. * Edgeforma can be custom made to slab height.				

Stramit PrimeForm™ 	Hi Tensile steel G550 600mm effective cover	PF60GA		per m ²
		PF75GA		per m ²

STRUCTURAL COMPONENTS

Product	Details	Code	Size/Finish	BMT (mm)	Unit	
Stramit® Framing 	Standard Stud (Red)	SBS7512UTC SBS7512PTC*	75 x 30 TC 75 x 30 TC	1.2 1.2	lin m lin m	
	Standard Plate (Blue)	SBPS7812UTC SBPS7812PTC*	78 x 28 TC 78 x 28 TC	1.2 1.2	lin m lin m	
	Standard Nogging (Green)	SBN7212UTC SBN7212PTC*	72 x 32 TC 72 x 32 TC	1.2 1.2	lin m lin m	
	PA Door Stud	SBS6912UTC SBS6912PTC*	69 x 33 TC 69 x 33 TC	1.2 1.2	lin m lin m	
	Mini Stud	SBS5012UGA	50 x 25 GA	1.2	lin m	
	*32mm diameter holes available at additional cost and lead time. Steel framing sections are cut to length to order.					
Stramit® Roof Battens 	7.5m length Fasteners	RBV40TC7500 S0540HMTZIP	40x40x20 CTL	0.55	each per 1000	
	Stramit® Ceiling Battens 	6.1m length	CBTC61	24x26x10 6.1m ZA0.42		each
Stramit® Trim Angle 	30 x 30	TA3055GA		0.55	lin m	
	30 x 30	TA3012GA		1.2	lin m	
	50 x 50	TA5012GA		1.2	lin m	
Stramit® Standard Angle 	40 x 40 x 6.0m lengths	AF4060GA60	GA		each	
Stramit® Top Hats 	(A) (B) (C) (D) 64 high x 34 x 20 x 6	Minimum length 1.500 metres TH6475ZA TH64100ZA	ZA ZA	0.75 1.00	lin m lin m	
	96 high x 34 x 20 x 6	TH9675ZA TH96100ZA	ZA ZA	0.75 1.00	lin m lin m	
	120 high x 34 x 20 x 6	TH12070ZA TH12090ZA	ZA ZA	0.70 0.90	lin m lin m	
	(Available in various stock lengths, ask for details. Cut to length available at additional lead time)					
	Builders Strapping					
		32mm x 1.2mm 50M Roll	BST321250		1.2	per roll
32mm x 1.6mm 50M Roll		BST321650		1.6	per roll	


FLOORING • ACCESSORIES

Designed to meet the needs of domestic and light commercial construction, **Stramit**® Metal Floor Sections offer an economical, easy to use solution to floor framing and construction.

With a wide range of section sizes offering freedom in design of floor joists, bearers, pier sizes and location, the **Stramit**® Metal Floor Sections adapt to a variety of house designs and conditions. These new section shapes also offer up to 30% more load capacity or 9% greater spanning performance than conventional C-sections.

The in-plane system saves building height or headroom and reduces brick or cladding costs.

- High tensile steel – for high strength and low weight
- Z350 Galvanised coating – to give long term protection to the steel base. Z350 coating exceeds requirements of the Building Code of Australia for most building areas
- Deeper sections – 235mm and 283mm joists allow for over 100mm pipe penetrations and standard toilet bends under floor
- 235mm joist – matches 3 courses of bricks
- Full range of sections – for economic design
- Designed to resist bounce – uses the latest technology to prevent low frequency vibration in the floor structure
- A complete system – with joists, bearers, brackets and accessories



Product	Flooring/Accessories	Details	Code	Unit
Stramit® Flooring Joists		182 x 12	J18212	lin metre
		182 x 15	J18215	lin metre
		182 x 19	J18219	lin metre
		182 x 24	J18224	lin metre
		235 x 15	J23515	lin metre
		235 x 19	J23519	lin metre
Bearers		235 x 24	J23524	lin metre
		283 x 19	J28319	lin metre
		283 x 24	J28324	lin metre
		182 x 19	B18219	lin metre
Bearers		182 x 24	B18224	lin metre
		235 x 19	B23519	lin metre
		235 x 24	B23524	lin metre
		283 x 19	B28319	lin metre
283 x 24	B28324	lin metre		
Brackets	Angle Brackets		FCB1B (for B235/283 only)	each
			FCB3A (suit B182)	each
			FCB3B (suit B235)	each
Fasteners	10 x 16 Hex Head no neo	S1016HTNNH		per 100
	Floor Screw 10G x 45	S1045WNGT		per 500
	Floor Screw 14G x 22	S1422HTNN4		per 500

PATIO ROOFING DECKING

Product	Details	Ordering Code	BMT mm	Unit
Roofing/Cladding/Accessories				
Stramit Sunset®				
	Sunset Decking GLS Classic Cream™/Classic Cream™	SS42DLCLC		per m ²
	Sunset Decking GLS Classic Cream™/WIL	SS42DL07		per m ²
	Sunset Decking GLS Dover White/SUR	SS42DL05		per m ²
	Sunset Decking GLS Paperbark®/Paperbark®	SS42DLPPB		per m ²
	Sunset Decking GLS Classic Cream™/WDG	SS42DL09		per m ²
	To convert prices to linear metres multiply by cover of sheet (ie 0.290). Supply ex Erskine Park. **Gloss colour is on the bottom. Please confirm at time of order.			
	All Product packaged for maximum protection. Price quoted is an effective cover per square metre price. To suit Stramit Sunset® sheeting (available in opal only)	TSFGSS240PA		lin metre
Fibreglass				
Sunset® Foam Insert	Infill strip for Stramit Sunset® sheeting (310mm)	SSWS3787		each
Fibreglass Foam Insert (290mm)	Infill strip for Stramit Sunset® fibreglass sheeting	SSWS3788		each
Sunset® Back Channel	Available in 3.0 & 5.0m stock lengths only			
		RCSSHCLC30/50		each
		RCSSHDVW30/50		each
		RCSSXPPB30/50		each
		RCSSZA30/50		each
Fasteners	10 x 16 Hex Head SDS (for fixing to steel) NOTE: Class 4 screws available on request. All fasteners comply with Australian Standard AS3566 Class 3.	S1016HT4 S1016HT***4	Plain Colour	per pack 1000 per pack 1000

DOUBLE SIDED ROOFING

Stramit® Corrugated 	Gloss Dover White/Surfmist®	C42DL05	0.42	m ²
	Gloss Classic Cream™/Classic Cream™	C42DLCLC	0.42	m ²
	Gloss Paperbark®/Paperbark®	C42DLPPB	0.42	m ²
Stramit® Mono-clad 	Gloss Dover White/Surfmist®	MC42DL05	0.42	m ²
	Gloss Classic Cream™/Classic Cream™	MC42DLCLC	0.42	m ²
	Gloss Paperbark®/Paperbark®	MC42DLPPB	0.42	m ²
Stramit® Longspan 	Gloss Dover White/Surfmist®	LS42DL05	0.42	m ²
	Gloss Classic Cream™/Classic Cream™	LS42DLCLC	0.42	m ²
	Gloss Paperbark®/Paperbark®	LS42DLPPB	0.42	m ²

COLORBEAM

Details	Ordering Code	Finish	BMT mm	Flange Thickness mm	Unit	
	Colorbeam 100x50 4.0m	CSB10011GA40	GA	0.55	1.1	each
	Colorbeam 100x50 4.5m	CSB10011GA45	GA	0.55	1.1	each
	Colorbeam 100x50 5.0m	CSB10011GA50	GA	0.55	1.1	each
	Colorbeam 100x50 5.5m	CSB10011GA55	GA	0.55	1.1	each
	Colorbeam 100x50 6.0m	CSB10011GA60	GA	0.55	1.1	each
	Colorbeam 100x50 6.5m	CSB10011GA65	GA	0.55	1.1	each
	Colorbeam 100x50 7.0m	CSB10011GA70	GA	0.55	1.1	each
	Colorbeam 100x50 7.5m	CSB10011GA75	GA	0.55	1.1	each
	Colorbeam 100x50 8.0m	CSB10011GA80	GA	0.55	1.1	each
Colorbeam 100x50 CTL	CSB10011L***	COL	0.55	1.1	lin metre	
Colorbeam 100x50 6.0m	CSB10011L***60	COL	0.55	1.1	each	
	Colorbeam 150x50 4.0m	CSB15015GA40	GA	0.75	1.5	each
	Colorbeam 150x50 4.5m	CSB15015GA45	GA	0.75	1.5	each
	Colorbeam 150x50 5.0m	CSB15015GA50	GA	0.75	1.5	each
	Colorbeam 150x50 5.5m	CSB15015GA55	GA	0.75	1.5	each
	Colorbeam 150x50 6.0m	CSB15015GA60	GA	0.75	1.5	each
	Colorbeam 150x50 6.5m	CSB15015GA65	GA	0.75	1.5	each
	Colorbeam 150x50 7.0m	CSB15015GA70	GA	0.75	1.5	each
	Colorbeam 150x50 7.5m	CSB15015GA75	GA	0.75	1.5	each
	Colorbeam 150x50 8.0m	CSB15015GA80	GA	0.75	1.5	each
Colorbeam 150x50 CTL	CSB15015L***	COL	0.75	1.5	lin metre	
	Colorbeam 200x50 4.0m	CSB20020GA40	GA	1.0	2.0	each
	Colorbeam 200x50 5.0m	CSB20020GA50	GA	1.0	2.0	each
	Colorbeam 200x50 6.0m	CSB20020GA60	GA	1.0	2.0	each
	Colorbeam 200x50 7.0m	CSB20020GA70	GA	1.0	2.0	each
	Colorbeam 200x50 8.0m	CSB20020GA80	GA	1.0	2.0	each
Colorbeam 200x50 CTL	CSB20020L***	COL	1.0	2.0	lin metre	

Lead Time 10 Days

10 Units Per Pack

COLORBEAM

Details	Ordering Code	Finish	Unit	
	Colorbeam Framing Bracket 100	CSAFB100GA	GA	each
	Colorbeam Framing Bracket 150	CSAFB150GA	GA	each
	Colorbeam Framing Bracket 200	CSAFB200GA	GA	each
	Colorbeam Framing Bracket 100	CSAFB100L***	COL	each
	Colorbeam Framing Bracket 150	CSAFB150L***	COL	each
	Colorbeam Framing Bracket 200	CSAFB200L***	COL	each
	Colorbeam Frame Bracket 100 15deg	CSAFB10015GA	GA	each
	Colorbeam Frame Bracket 150 15deg	CSAFB15015GA	GA	each
	Colorbeam Frame Bracket 200 15deg	CSAFB20015GA	GA	each
	Colorbeam Frame Bracket 100 15deg	CSAFB10015L***	COL	each
	Colorbeam Frame Bracket 150 15deg	CSAFB15015L***	COL	each
	Colorbeam Frame Bracket 200 15deg	CSAFB20015L***	COL	each
	Colorbeam Frame Bracket 100 22deg	CSAFB10022GA	GA	each
	Colorbeam Frame Bracket 150 22deg	CSAFB15022GA	GA	each
	Colorbeam Frame Bracket 200 22deg	CSAFB20022GA	GA	each
	Colorbeam Frame Bracket 100 22deg	CSAFB10022L***	COL	each
	Colorbeam Frame Bracket 150 22deg	CSAFB15022L***	COL	each
	Colorbeam Frame Bracket 200 22deg	CSAFB20022L***	COL	each
	Colorbeam Apex 100 15deg	CSAB10015GA	GA	each
	Colorbeam Apex 150 15deg	CSAB15015GA	GA	each
	Colorbeam Apex 200 15deg	CSAB20015GA	GA	each
	Colorbeam Apex 100 22deg	CSAB10022GA	GA	each
	Colorbeam Apex 150 22deg	CSAB15022GA	GA	each
	Colorbeam Apex 200 22deg	CSAB20022GA	GA	each
	Colorbeam Apex Plate Cover 100 15deg	CSACP10015GA	GA	each
	Colorbeam Apex Plate Cover 150 15deg	CSACP15015GA	GA	each
	Colorbeam Apex Plate Cover 200 15deg	CSACP20015GA	GA	each
	Colorbeam Apex Plate Cover 100 22.5deg	CSACP10022GA	GA	each
	Colorbeam Apex Plate Cover 150 22.5deg	CSACP15022GA	GA	each
	Colorbeam Apex Plate Cover 200 22.5deg	CSACP20022GA	GA	each
	Colorbeam Suspension Bracket 100	CSSB100GA	GA	each
	Colorbeam Suspension Bracket 150	CSSB150GA	GA	each
	Colorbeam Suspension Bracket 200	CSSB200GA	GA	each
	Colorbeam Suspension Bracket 100	CSSB100L***	COL	each
	Colorbeam Suspension Bracket 150	CSSB150L***	COL	each
	Colorbeam Suspension Bracket 200	CSSB200L***	COL	each
	Colorbeam Corner Bracket 100	CSCB100GA	GA	each
	Colorbeam Corner Bracket 150	CSCB150GA	GA	each
	Colorbeam Corner Bracket 200	CSCB200GA	GA	each

TAUREAN® RESIDENTIAL AND COMMERCIAL ROLLER DOOR COLOURS

STANDARD COLORBOND® NAMES

BAS	Basalt®	HED	Headland®	PPB	Paperbark®
CLC	Classic Cream™	IST	Ironstone®	SHG	Shale Grey™
CTG	Cottage Green®	JAS	Jasper®	SUR	Surfmist®
COV	Cove®	MGV	Mangrove®	TRN	Terrain®
DOC	Deep Ocean®	MNR	Manor Red®	WAL	Wallaby®
DUN	Dune®	MON	Monument®	WDG	Woodland Grey®
EVH	Evening Haze®	NTS	Night Sky®	WIL	Wilderness®
GLY	Gully®	PEC	Pale Eucalypt®	WSP	Windspray®

MATT		COLOURGRAIN		SELF-STORAGE / MINI WAREHOUSE	
BAS	Basalt® Matt	CAO	Caoba®	DVW	Dover White
MON	Monument® Matt	CCE	Classic Cedar®	LAZ	Lazurite Blue
SUR	Surfmist® Matt			MAN	Mandarin Orange
				POP	Poppy Red

TAUREAN RESIDENTIAL ROLLER DOORS

DOMESTIC PR1ME SERIES 'A' AND 'AA', WINDLOCK AND WINDSTRONG

Product Details	Discount Group Code	Finish	Code	Unit
Series A - Standard, WindLock or WindStrong options	7T	ZA	RDAZA	Ea
		COL	RDAhhCOLwww	Ea
Series AA - Standard, WindLock or WindStrong options	7V	ZA	RDAAZA	Ea
		COL	RDAAhCOLwww	Ea

Available in ZINCALUME® steel, COLORBOND® steel, COLORBOND® steel Matt and Colourgrain Domestic Roller Door

Height (mm)	Series 'A' Doors (curtain width in mm)					Series 'AA' Doors (curtain width in mm)				
	750 to 1550	1551 to 1850	1851 to 2550	2551 to 2800	2801 to 3100	3101 to 3430	3431 to 3750	3750 to 4350	4351 to 5100	5101 to 5400
1200										
2200										^
2500										^
2800										
3100										

^ Not available in WindLock
ORDERS TO BE PLACED AS DOOR SIZE (not opening width)
 To calculate curtain width, add to opening width -
 • 50mm for Series A
 • 100mm for Series AA
 • 100mm for WindLock option
 • 110mm for WindStrong option

TAUREAN LIGHT INDUSTRIAL ROLLER DOORS

LIGHT INDUSTRIAL COMMANDO SERIES 'B', WINDLOCK AND WINDSTRONG

Product Details	Discount Group Code	Finish	Code	Unit
Series 'B' - Standard, WindLock or WindStrong options	7R	ZA	RDBZA	Ea
		COL	RDBCOL	Ea

Available in ZINCALUME® steel, COLORBOND® steel, COLORBOND® steel Matt and Colourgrain Domestic Roller Door

Height (mm)	Series 'B' Doors (curtain width in mm)									
	750 to 1550	1551 to 1850	1851 to 2550	2551 to 2800	2801 to 3100	3101 to 3430	3431 to 3750	3750 to 4350	4351 to 5100	5101 to 5400
2200										
2500										
2800										
3100										
3500										
3900										
4300										
4600										
5100										

ORDERS TO BE PLACED AS DOOR SIZE (not opening width)
 To calculate curtain width, add to opening width -
 • 50mm for Series A
 • 100mm for WindLock option
 • 100mm for Series AA
 • 110mm for WindStrong option

Product Details	Code	Unit
Planetary Gear Chain System It is recommended that Planetary Gear Chain operating system be fitted to doors in shaded areas. Planetary Gear system MUST NOT be used when an electric operator is fitted.	RDPLANETGEAR	Ea

TAUREAN® RESIDENTIAL ROLLER DOORS - KEY POINTS

PR1ME SERIES ROLLER DOOR WINDLOCK CONFIGURATION				MAXIMUM DOOR WIDTH (mm)				
Classification	Ultimate Wind Pressure	0 - 3650			3651 - 5015		5016 - 5100	
		N1	< 4.0m: inwards 0.69kPa outwards -0.73kPa > 4.0m: inwards 0.69kPa outwards -0.63kPa	WindLock door 2.2 clips/m		3.7 clips/m		
N2	< 4.0m: inwards 0.95kPa outwards -1.02kPa > 4.0m: inwards 0.95kPa outwards -0.87kPa			3.9 clips/m		4.1 clips/m		
N3	< 4.0m: inwards 1.49kPa outwards -1.59kPa > 4.0m: inwards 1.49kPa outwards -1.37kPa			3.9 clips/m		4.1 clips/m		

Wind Classification	N3	MAXIMUM DOOR WIDTH (mm)		
		0 - 3650	3651 - 5015	5016 - 5100
ABUTMENT FORCES (kN/m)	Fy INWARDS	5.5	6.2	8.2
	Fx INWARDS	17.7	22.7	29.4
	Fy OUTWARDS	9.5	9.5	11.2
	Fx OUTWARDS	26.3	30.7	40.7

Taurean Doors Systems certify that this door meets the ultimate wind pressure ratings of Australian Standard AS/NZS 4505 and is fit for purpose in Regions A and B (non-cyclonic areas) of Australia when installed according to instructions.
 See taureands.com.au for details.

Tapers for Sloping Floors – Roller Doors



Taurean Pr1me Series Roller Doors are available with tapered curtains to suit floors with a slope across the door opening. Minimum and maximum taper sizes apply, please contact Taurean Customer Service on 1800 778 658 or via customerservice@taureands.com.au for further information.

WINDSTRONG™ Roller Door - Domestic and Medium General Purpose (20,000 cycles) AUSTRALIAN STANDARD 4505 COMPLIANT

Steel Guide Track	ULTIMATE CYCLONIC WIND PRESSURE								Aluminium Guide Track	ULTIMATE CYCLONIC WIND PRESSURE							
Door Width (mm)	2550	2800	3100	3430	3750	4350	5100	5400	Door Width (mm)	s 2550	2800	3100	3430	3750	4350	5100	5400
Inwards Ultimate Wind Pressure Rating (kPa)	6.27	5.76	5.20	4.64	4.17	3.46	2.89	2.76	Inwards Ultimate Wind Pressure Rating (kPa)	6.79	6.13	5.53	4.91	4.38	3.53	2.75	2.53
Outwards Ultimate Wind Pressure rating (kPa)	7.24	6.91	6.50	6.02	5.54	4.59	3.31	2.77	Outwards Ultimate Wind Pressure rating (kPa)	6.79	6.13	5.53	4.91	4.38	3.53	2.75	2.53
Domestic Cyclonic Region Ratings (door width mm)	C4 up to 2770		C3 up to 3660		C2 up to 5100		C2 up to 5400		Domestic Cyclonic Region Ratings (door width mm)	C3 up to 3430				C2 up to 4550		C1 up to 5400	

TAUREAN ROLLER DOOR INSTALLATION

For further information please refer to the Installation Guides at www.taureands.com.au or contact Customer Service 1800 778 658.



Mounting Room - Series A

Table 1: Mounting Room (mm)

A	B	C	D	E
1200	430	265	165	450
2200	440	270	170	475
2500	455	275	180	495
2800	485	295	190	505
3100	495	300	195	515

Mounting Room - Series B

Table 1: Mounting Room (mm)

A	B	C	D	E
2200	440	270	170	485
2500	455	275	180	505
2800	485	295	190	515
3100	495	300	195	525
3900	515	310	205	545
4600	550	325	225	575
5100	560	330	230	585

Mounting Room - Series AA

Table 1: Mounting Room (mm)

A	B	C	D	E
1200	430	265	165	460
2200	440	270	170	485
2500	455	275	180	505
2800	485	295	190	515
3100	495	300	195	525

Mounting Room - NovaTaur Commercial

Table 1: Mounting Room (mm)


A	B	C	D	E
2500	485	290	195	500
3100	520	310	210	540
3400	520	310	210	540
4300	555	330	225	575
5100	585	345	240	610

Mounting Room - NovaTaur Residential

Table 1: Mounting Room (mm)

A	B	C	D	E
2500	455	290	165	450

TAUREAN® RESIDENTIAL SECTIONAL DOORS - CLASSIC RANGE



Linea: Grooved / Lined



Tempo: Pressed Squares



Western: Pressed Rectangles



Silk: Flat Panels

AVAILABLE IN WOODGRAIN COLORBOND® STEEL, WOODGRAIN TIMBERGRAIN & WOODGRAIN POWDERCOATED COLOURS

Height	# Panels	WIDTH										
		1820 to 2500	2501 to 2800	2801 to 3200	3201 to 3700	3701 to 4150	4151 to 4450	4451 to 4740	4741 to 4950	4951 to 5510	5511 to 5930	5931 to 6050
1920, 1940, 1960, 1980, 2000, 2020, 2040, 2060, 2080, 2100, 2120, 2140, 2160, 2180	4											
2200, 2225, 2250, 2275	5											
2300, 2325, 2350, 2375, 2400, 2425, 2450	5											
2475, 2500, 2525, 2550, 2575, 2600, 2625, 2650, 2675, 2700, 2725	5											
2760, 2790, 2820, 2850, 2880, 2910, 2940, 2970, 3000	6											

Tapers for Sloping Floors – Classic Sectional Doors



Taurean Classic Sectional Doors are available with a tapered bottom panel to suit floors with a slope across the door opening. Minimum and maximum taper sizes apply, please contact Taurean Customer Service on 1800 778 658 or via customerservice@taureands.com.au for further information.

LOW HEADROOM KIT- FRONT MOUNTED ONLY - MINIMUM HEADROOM 2200mm


Product Details	Length	Code	Unit
SD Track Pair LHR 2.591	2591	SDTPRLHRGA2591	Ea
SD Track Pair LHR 2.895	2895	SDTPRLHRGA2895	Ea
SD Track Pair LHR 3.200	3200	SDTPRLHRGA3200	Ea
SD Track Kit Bag LHR		SDTKITBLHR	Ea

Please refer to the Taurean website (www.taureands.com.au) or contact Taurean Door Systems Customer Service on 1800 778 658 for assistance.

TAUREAN® RESIDENTIAL SECTIONAL DOOR INSTALLATION - KEY POINTS



Check opening height and door size.
a. 25-30mm overlap on each side and >10mm at top.
b. At least 150mm side room required.



Please refer to the Taurean website (www.taureands.com.au) or contact Taurean Door Systems Customer Service on 1800 778 658 for assistance.

TAUREAN® NOVATAUR ROLLER DOORS

Taurean NovaTaur Residential Roller Door

Product Details	Finish	Code	Unit
Taurean Novataur Residential Roller Door	Col	RNR25COLwww	Ea

COLORBOND® steel Colours												
Height (mm)	Width											
	2500 to 2550	2551 to 2800	2801 to 3100	3101 to 3600	3601 to 3750	3751 to 4100	4101 to 4350	4351 to 4800	4801 to 5100	5101 to 5400	5401 to 5500	5501 to 6000
2500												

Taurean NovaTaur Commercial Roller Door

Product Details	Finish	Code	Unit
Taurean Novataur Commercial Roller Door	ZA	RNChhZAwwww	Ea
	Col	RNChhCOLwww	Ea

Height (mm)	Width							
	2500 to 2800	2801 to 3100	3101 to 3430	3431 to 3750	3751 to 4350	4351 to 5100	5101 to 5500	5501 to 6000
2500								
3100								
3400								
4300								
5100								

Product Details	Code	Unit
Planetary Gear Chain System	RDPLANETGEAR	Ea


It is recommended that Planetary Gear Chain operating system be fitted to doors in shaded areas.
Planetary Gear system MUST NOT be used when an electric operator is fitted.

TAUREAN ROLLER DOOR PACKAGING OPTIONS

Packaging Product Details	Code	Unit
Cardboard Box up to 3430 door width	RDCHRGPACK9	Ea
Cardboard Box up to 3710 door width	RDCHRGPACK10	Ea
Cardboard Box up to 4930 door width	RDCHRGPACK19	Ea
Enviro-pack 1 single layer cardboard outer up to 3430mm door width	RDCHRGPACK15	Ea
Enviro-pack 1 single layer cardboard outer up to 3431 - 5400mm door width	RDCHRGPACK16	Ea
Enviro-pack 2 double layer cardboard outer up to 3430mm door width	RDCHRGPACK17	Ea
Enviro-pack 2 double layer cardboard outer up to 3431 - 5400mm door width	RDCHRGPACK18	Ea
Metal Wrap Packaging per lineal metre	RDCHRGPACK2	Ea


TAUREAN PERSONAL ACCESS (PA) DOOR

Pre-Hung Personal Access Door



Pre Hung PA Door 2040 x 820mm	ZA	PADJ2040820ZA	Ea
	COL	PADJ2040820X***	Ea
Pre Hung PA Door 2040 x 920mm	ZA	PADJ2040920ZA	Ea
	COL	PADJ2040920X***	Ea

Standard Personal Access Door



Personal Access (PA) Door 2040 x 820mm	ZA	PAD2040820ZA	Ea
	COL	PAD2040820X***	Ea
Personal Access (PA) Door 2040 x 920mm	ZA	PAD2040920ZA	Ea
	COL	PAD2040920X***	Ea

SPECIFICATIONS

- Taurean Door Systems standard offer is a single skin metal clad door: 2040mm high x 820mm wide x 37mm thick and 2040mm high x 920mm wide x 37mm thick
- Metal cladding is 0.55mm thick COLORBOND® steel
- Outward swing is standard
- Heavy duty Knob/Knob Lockset as standard (with Pre-Hung Door only), Lever/Knob available upon request
- Chrome cabin hook supplied as standard (with Pre-Hung Door only)
- Pre-Hung version comes with three, 100 x 65 x 2mm high quality colour matched hinges

Please refer to the Taurean web-site (www.taureands.com.au) or contact Taurean Door Systems Customer Service on 1800 778 658 for assistance.

TAUREAN® ROLLER DOOR ACCESSORIES

Product Details	Code	Unit
-----------------	------	------

Roller Door Openers - Merlin

RD Motor SilntDrv Elite 855BBU.....	RDMOTORSE855BB	Ea
Max door area = 18m ² Max door weight = 120kg		

RD Motor SilntDrv Elite 855MYQ.....	RDMOTORSE855MQ	Ea
Max door area = 18m ² Max door weight = 120kg		

RD Motor SilntDrv Essen 655MYQ.....	RDMOTORSS655MQ	Ea
Max door area = 16.5m ² Max door weight = 100kg		

RD Motor Weather Drive 550EVO.....	RDMOTORWD550EVO	Ea
Max door area = 15m ² Max door weight = 100kg IP 34 Housing Rating		

Roller Door Openers - GRIFCO

RD Motor eDrive 2.0 (ML5102 Kit) Left Hand.....	RDMOTORED20KL	Ea
Max door area with 150mm drum = 36m ² Max door area 200mm drum = 50m ²		

RD Motor eDrive 2.0 (ML5102 Kit) Right Hand.....	RDMOTORED20KR	Ea
Max door area with 150mm drum = 36m ² Max door area 200mm drum = 50m ²		

Grifco LR-Drive (GLD-RD0).....	RDMOTOR1300LRD	Ea
Max door area Standard = 28m ² Max door area WindLocked = 22m ² Max door weight = 270kg		

Sectional Door Operators - MERLIN

SD Motor ComElite 105BBU.....	SDMOTCE105BB	Ea
SD Motor ComElite 105MYQ.....	SDMOTCE105MQ	Ea
SD Motor ComEssen 65MYQ.....	SDMOTCS65MQ	Ea
SD Motor ComUlt 3800MYQ.....	SDMOTCU3800MQ	Ea
SD Motor ComExt 125 2.4C MYQ.....	SDMOTCX125C24	Ea
SD Motor ComExt 125 2.4R BBU.....	SDMOTCX125X24B	Ea
SD Motor ComExt 125 3.0R BBU.....	SDMOTCX125X30B	Ea
SD Motor Whisper Drive 3850EVO.....	SDMOTWD3850EVO	Ea

Operator Accessories

RD Merlin Evercharge Standby Power Unit.....	RDMERECSPU	Ea
Merlin Battery Backup Kit - Suitable for residential roller & sectional door operators.....	RDMOTORBBU	Ea
RD Merlin handset 3 button ChI.....	RDMERHS3B3C	E
RD Merlin handset Mini 3 button transmitter.....	RDMERHSM3B3C	Ea
4 Button Hand Transmitter.....	RDMERHSM4B52	Ea
RD Merlin Keyed Cable Release Steel.....	RDMECABRELKSF	Ea
RD Merlin Keypad Wireless S2.0.....	RDMERKPS2	Ea
RD Merlin Connect Bundle MYQ.....	RDMERCONBMYQ	Ea
RD Merlin Remote Light LED MYQ.....	RDMERLEDMYQ	Ea
Wall Mount Wireless TrioCode.....	RDGDOHSMW	Ea
TrioCode Wireless Keypad.....	RDGDKPW	Ea

Please refer to the Taurean website (www.taureands.com.au) or contact Taurean Door Systems Customer Service on 1800 778 658 for assistance.

TAUREAN® PRODUCT WARRANTY

Stramit Corporation Pty Limited Roller Door Warranty and Exclusion of Liability Statement

This Warranty is given by:

Stramit Corporation Pty Limited trading as Taurean Door Systems (Taurean)
1051 Nudgee Road, Banyo, QLD 4014

Phone: (03) 9721 8366 | Email: customerservice@taureands.com.au | Website: www.taureands.com.au

On Taurean® roller door kits (Product) for a twelve-month period from the date of purchase of the Product, against defects which is subject to the matters set out below (Warranty).

The Warranty is in addition to your rights and remedies that may be available to consumers under the Australian Consumer Law. If you are a consumer, as defined under the Australian Consumer Law, our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

This Warranty applies only where:

- The purchaser seeking to rely on the Warranty presents proof of purchase to confirm the date of purchase of the Product;
- If the Product has been installed, an authorised Taurean Door reseller or professional roller door installer (Authorised Installer) performed the installation; and
- Taurean determines, in its absolute discretion, that the Product has a defect covered by this Warranty.

Your Product Warranty does not apply to any defect, loss or damage arising through or caused directly or indirectly by, or as a result of:

- Fair wear and tear (e.g. working seals in the inlet and outlet valves, scratching from cleaning, paint rubs or scuffing on the internal wash coat finish or external painted finish etc.);
- Any defects or deterioration of timber, including drying, after installation of the Product;
- Any weakening, cracking, deterioration, or collapse of the structure or surface, during installation or use, to which the Product is (or is intended to be) affixed;
- Incorrect storage or handling of the Product after delivery;
- Failure to properly install, use or maintain the Product, or to follow any instructions or guidelines for installation, use or maintenance of the Product, including carrying out regular servicing or preventative maintenance;
- The continued use or operation of the Product after any defect becomes apparent, or would have become apparent to a reasonably prudent operator or user;
- Installation, adjustment or use of the Product, other than by Taurean or an Authorised Installer;
- Attempted or completed modifications or repairs to the Product carried out by a person who is not authorised by Taurean to carry out such modifications or repairs;
- The use of the Product, within 800 metres of the sea or other body of water of equivalent or greater salt concentration or in an area subject to chemical or industrial fall out, or otherwise than for any application specified on a quote or order form, price book or catalogue issued by Taurean; or
- Any accident or act of God.

To make a valid claim under this Warranty, a person must submit a claim in writing to Taurean at the abovementioned address within twelve months from the date of purchase of the Product. The claim must include:

- A copy of this Warranty;
- A description and evidence of (e.g. photo) how the Product is defective;
- The date on which the person making the claim discovered the defect;
- Proof of the date of purchase of the Product in the form of an invoice or receipt; and
- If the Product has been installed, proof of the date of installation of the Product in the form of an invoice or receipt from an Authorised Installer.

Where a valid Warranty claim is made in accordance with clause 6 above, Taurean will investigate the claim, and requires reasonable and adequate access to Products, to undertake its investigation. If a Warranty service call finds that your Product does not have a genuine manufacturing defect, or the claim is resolved by a regular service (that comes under the responsibility of the purchaser) Taurean reserves the right to charge you a service fee.









To the fullest extent permitted by law, Taurean expressly excludes all conditions, warranties and undertakings in relation to the Products except as set out in this document.

To the fullest extent permitted by law, and subject to and without limiting your consumer rights under the Australian Consumer Law, Taurean expressly limits its liability under this Warranty and under any other statutory guarantee imposed at law to, at its absolute discretion:

- Replacing or repairing the Product;
- The supply of an equivalent Product; or
- The payment of the cost of the Product, or of repairing the Product, or of acquiring an equivalent Product.

This Warranty is not transferrable, and only applies to the original purchaser. Wherever the Product is sold by any person other than Taurean, such person has no authority whatsoever from Taurean to give any express warranty or guarantee on any Taurean product in addition to this Warranty.

FENCING • ACCESSORIES

Product	Product Details	Code	Finish	BMT mm	Unit
Infill Sheets	Stramit Monoclad® Fencing				
	Stock Lengths				
	Sheeting 2.090	SFMC---2090	COL	0.35	each
	Sheeting 1.790	SFMC---1790	COL	0.35	each
	Sheeting 1.490	SFMC---1490	COL	0.35	each
	Also available Cut to length in all colours	MC35F---	COL	0.35	sq. metre
Infill Sheets	Sawtooth Fencing				
	Stock Lengths				
	Sheeting 2.090	SFGLST---2090	Colour	0.35	each
	Sheeting 1.790	SFGLST---1790	Colour	0.35	each
	Sheeting 1.490	SFGLST---1490	Colour	0.35	each
Rails Top & Bottom	Rail Top/Bottom 2.370	SFR---2370	Colour		each
	Rail Top/Bottom 3.100	SFR---3100	Colour		each
	Fence Rail Cap (Cut in two for single caps)	SFRC---	Colour		each
Fence Posts	Post 2.700	SFP---2700	Colour		each
	Post 2.400	SFP---2400	Colour		each
	Post 2.100	SFP---2100	Colour		each
	Lattice	Standard Lattice 0.300 x 3.100	SFLFZ300---3100	Colour	
	Standard Lattice 0.300 x 2.350	SFLFZ300---2350	Colour		each
	Standard Lattice 0.300 x 1.575	SFLFZ300---1575	Colour		each
	Standard Lattice 0.300 x 0.815	SFLFZ300---0815	Colour		each
	Premium Lattice 0.300 x 2.350	SFL300---2350	Colour		each
Panel 2.400 x 1.800	Standard Panel <i>includes</i>		-with Monoclad		
	2 x Rails 2.370				
	2 x Fence Posts 2.400 3 x Infill Sheets 1.790				
	Total Price Std Panel				
	15 x Screws 10 x 16 Hex Head NB: Price does not include screws or rail caps				
Standard Panel with Std Lattice <i>includes</i>			-with Monoclad		
	3 x Rails 2.370				
	2 x Fence Posts 2.400				
	3 x Infill Sheets 1.490				
	1 x Std Lattice 0.300 x 2.350				
	Total Price Std Panel				
	22 x Screws 10 x 16 Hex Head NB: Price does not include screws or rail caps				
Std Panel with Premium Lattice <i>includes</i>			-with Monoclad		
	4 x Rails 2.370				
	2 x Fence Posts 2.400				
	3 x Infill Sheets 1.490				
	Premium Lattice 0.300 x 2.350				
	Total Price Std Panel				
	23 x Screws 10 x 16 Hex Head NB: Price does not include screws or rail caps				
	10 x 16 Hex Tek No Neo Pack 100 <i>(minimum pack of 100)</i>	S1016HTNN---H	Colour		per 100
Galvanised Fence Posts	2.0m x 1.9mm (100mm girth)	C10019TU2000			each
	2.1m x 1.0mm (150mm girth)	C15010U2100			each
	2.3m x 1.9mm (100mm girth)	C10019TU2300			each
	2.4m x 1.0mm (150mm girth)	C15010U2400			each

FENCING • ACCESSORIES

Product	Product Details	Code	Finish	BMT mm	Unit	
Fencing/Accessories						
Corner/Gate Posts 	Gate Post 65mm x 65mm x 2400mm	SFGP65---2400	Colour		each	
	Gate Post 65mm x 65mm x 2700mm	SFGP65---2700	Colour		each	
	Gate Post Cap 65mm x 65mm	SFGPC65---	Black or Grey only		each	
Post Balls 	Post Ball Single	SFGLPBS---	Colour		each	
	Post Ball Double	SFGLPBD---	Colour		each	
	Post Ball Single 50 x 50	SFGLPBS50---	Colour		each	
	Post Ball Single 65 x 65	SFGLPBS65---	Colour		each	
Gate Kits 	Single Gate Frame Kit	SFGKS---1200	Colour	1200	each	
		SFGKS---1500	Colour	1500	each	
		SFGKS---1650	Colour	1650	each	
		SFGKS---1800	Colour	1800	each	
	Double Gate Frame Kit	SFGKD---1200	Colour	1200	each	
		SFGKD---1500	Colour	1500	each	
		SFGKD---1650	Colour	1650	each	
		SFGKD---1800	Colour	1800	each	
	Fence Gate Support Bkt Lattice		SFGSBLGA			each

Gate Kit comprises - Gate Styles, Zinc Plated Hinges, Zinc Plated D-Latch set, Gate Caps, Hex Head Tek Screws, and Drop bolts on double gates.
Order separately - Infill sheet/s, Rail/s, Gate Posts & Gate Post Caps as required.
 Specify gate opening width when ordering gate.

HOW TO ORDER:

Fence										
Panel Height*	Number of Panels	Profile?	Lattice?		End Posts?		Colour?			
		M=Monoclad S=Sawtooth	Yes/No	S=Standard P=Premium	65x65	Number of End Posts	Infill Sheets	Posts & Rails	Lattice	End Posts
1500					2400					
1800					2400					
2100					2700					

*Height includes lattice (if required)

Standard Gates										
Gate Height*	Gate Type?	Profile?	Lattice?		Gate Posts?		Colour?			
	S=Single D=Double	M=Monoclad S=Sawtooth	Yes/No	S=Standard P=Premium	65x65	Number of Gate Posts	Infill Sheets	Posts & Rails	Lattice	Gate Posts
1200					2400					
1500					2400					
1650					2400					
1800					2400					
2100					2700					

*Height includes lattice (if required)

Colour Availability ^{Use}		Screws:
Bluestone®	Mountain Blue	DOC
Domain®	Primrose	CLC
Estate®	Ironbark	EST
Evergreen®	Caulfield Green	CTG
Grey Ridge®	Slate Grey	WDG
Harvest®	Wheat	HAR
Meadow®	Mist Green	PEC
Red Oak®	Heritage Red	MNR
Riversand®	Stone	RSD
Summershade®	Moss Vale Sand	SMS
Terrace®	Merino	PPB
Willow®	Rivergum	WIL
Eclipse®	Night Sky®	ECL

© Trademarks of BlueScope Steel Limited.

NOTES

TERMS AND CONDITIONS OF SALE

EFFECTIVE DATE: 16 SEPTEMBER 2019

By submitting an application for a Credit Account and/or ordering Goods from Us, You agree that the following Terms and Conditions of Sale ("Conditions") will apply to the supply.

1. DEFINITIONS AND INTERPRETATION

1.1 In these Conditions:

- (a) **Anti-Corruption Law** means any law prohibiting or relating to bribery, corruption, kickbacks, secret commissions or money laundering, including without limitation, the Foreign Corrupt Practices Act 1977(US), the Bribery Act 2010 (UK), the Criminal Code Act 1995 (Cth) and any anti-corruption regulations and provisions applicable in the European Union or in any other locations in which We or any member of the We carry on business;
 - (b) **Australian Consumer Law** means the Australian Consumer Law in Schedule 2 of the Competition and Consumer Act 2010 (Cth);
 - (c) **Australian Standards** means the applicable codes and guidelines published from time to time by Standards Australia;
 - (d) **Consumer Contract** has the meaning given to that term in the Australian Consumer Law;
 - (e) **Contract** means the contract for the sale and/or supply of Goods between You and Us that is constituted by these Conditions and any application for a Credit Account;
 - (f) **Credit Account** means the commercial credit account You have with Us under the Contract;
 - (g) **Due Date** means the date You must pay for the Goods as specified on Our invoices;
 - (h) **Force Majeure Event** means any event outside a party's reasonable control which may affect the parties' obligations under the Contract, including acts of God, war, terrorism, fire, flood, storm, earthquake, hurricane, cyclone, riot, power failure, industrial action, defaults of manufacturers or suppliers, the inability to obtain equipment, supplies or other facilities that are not caused by a failure to pay labour disputes, theft, criminal actions or any other similar events;
 - (i) **Goods** means all goods, merchandise and/or services requested by You in any Order and/or supplied by Us to You under a Contract from time to time;
 - (j) **GST** and related terms have the meanings given to those terms in A New Tax System (Goods and Services Tax) Act 1999 (Cth);
 - (k) **Insolvency Event** means any action which places an entity or individual under external management in respect of its assets or where an entity or individual makes an assignment, agreement or arrangement in respect of its assets for the benefit of its creditors, including but not limited to the appointment of a liquidator, receiver, manager, administrator or trustee;
 - (l) **Order** means a request by You to Us for the supply of Goods;
 - (m) **PPSA** means the Personal Property Securities Act 2009 (Cth);
 - (n) **Price List** means the price list issued by Us from time to time in the particular State or Territory in which an Order is placed;
 - (o) **Quotation** means the verbal or written estimate given by Us for the cost to supply specified Goods, and includes a Price List issued by Us from time to time;
 - (p) **Small Business Contract** has the meaning given to that term in the Australian Consumer Law;
 - (q) **Special Building Products** means the Goods, materials and/or products which are purchased, produced or supplied by Us in accordance with a particular design, drawing or specification that is requested by You;
 - (r) **"We", "Us" or "Our"** means Stramit Corporation Pty Limited (ABN 57 005 010 195) and any subsidiaries, associated, related and parent companies or businesses, successors or assigns, including the businesses trading as 'Stramit Building Products', 'Integrated Steel Solutions' and 'Taurean Door Systems'.
 - (s) **You or Your** means any individual, company, organisation or any other entity stated in the Contract to whom or to which We supply or offer to supply Goods under these Conditions, including any person, entity or agent acting on their behalf.
- 1.2 Headings are for convenience only and do not form part of these Conditions.
- 1.3 Reference to any legislation includes a modification, revision, amendment, re-enactment of, legislation enacted in substitution for, regulation, order-in-council or any other instrument from time to time issued, enacted or made under that legislation.
- 1.4 Reference to the singular includes the plural and the plural includes the singular.
- 1.5 The words include and including are not terms of limitation.
- 1.6 Terms and expressions used in these Conditions that are defined in the Australian Consumer Law, the GST Act or the PPSA have the same meanings respectively given to those terms and expressions in those Acts.

2. GENERAL MATTERS

- 2.1 The Contract constitutes the entire agreement for the sale and/or supply of Goods between the parties. All prior representations, trade custom or previous dealings between the parties are excluded and are not applicable in the interpretation of the Contract. In the event of any inconsistency with any other document including any Quotation, Order or other document You provide us, the terms of the Contract take priority and prevail.
- 2.2 By placing an Order, or accepting delivery of Goods pursuant to any Order, You are deemed to have read, understood and accepted these Conditions as binding on You.
- 2.3 You agree to comply with the Anti-Corruption Law and must not commit any act or omission which causes or would cause You or Us to breach or commit an offence under any Anti-Corruption Law.
- 2.4 We have no obligation to agree to provide or continue to provide any credit facilities to You. You are not entitled to any credit facilities until You receive notice from Us to that effect and We may at any time by notice to You reduce, vary or terminate any such credit facilities at Our discretion. Any credit limit that may apply from time to time in respect of credit facilities is for administrative convenience and solely for the benefit of Us and such credit limit does not constitute a term of these Conditions nor of any Deed of Guarantee, Indemnity and Charge in respect of Your obligations.

3. ORDERING AND SUPPLY OF GOODS

- 3.1 You may purchase Goods by placing an Order with Us verbally or in writing. An Order constitutes an offer by You to purchase Goods from Us pursuant to these Conditions.
- 3.2 We may accept or decline, in whole or in part, any Order by notifying You in writing or by delivering to You the Goods the subject of Your Order. The parties acknowledge and agree that acceptance of an Order gives rise to a Contract under these Conditions.
- 3.3 You may not withdraw, cancel or revoke an Order after acceptance without Our written consent.
- 3.4 No Quotation will constitute an offer to supply Goods to You. Any Quotation expires on the date stated or otherwise 30 days after the date the Quotation is issued. We reserve the right to vary or withdraw any Quotation before an Order is accepted.
- 3.5 You must obtain Our written consent if You wish to resell any Goods online.

4. PRICES, GST AND OTHER EXPENSES

- 4.1 Unless otherwise agreed in writing between the parties, the price payable for Goods is the price specified in Our invoice plus any duties, fees, taxes (including GST), delivery charges and levies charged or imposed by the Contract.
- 4.2 Unless otherwise expressly stated, all amounts payable by You for Goods are exclusive of GST.
- 4.3 If GST is imposed on any supply of Goods made in accordance with a Contract, You must pay to Us an additional amount equal to the GST payable on or for that taxable supply of Goods. Payment of any GST must be made at the same time as payment for the Goods.

5. PAYMENT AND CREDIT

- 5.1 Unless otherwise agreed between the parties, payment for Goods is to be made by You on or before the Due Date.
- 5.2 The parties acknowledge and agree that Our acceptance of an application for a Credit Account gives rise to a Contract under these Conditions.
- 5.3 You authorise Us to open a Credit Account in Your name listed on the application for a Credit Account and to debit the price of the Goods supplied to You and all other amounts owed by You to Us (including fees and interest payable under a Contract).
- 5.4 Any Credit Account granted by Us must only be used by You and cannot be assigned, transferred or made available for use by any other entity or person (including by a subsequent purchaser of You) without Our prior written consent.
- 5.5 If You are in default of any payment, We are entitled to:
 - (a) charge You a reasonable surcharge for processing payments made by credit card, at an amount advised by Us from time to time;
 - (b) charge You interest on all overdue accounts at a rate which is four (4) percent higher than the cash rate last published by the Reserve Bank of Australia as at the Due Date, calculated and payable daily and compounded from the due date until the invoice is paid in full. The parties agree that such interest charge is not a penalty;
 - (c) require the payment of Goods prior to delivery of any further Goods;
 - (d) demand that all of Our invoices issued to You but not yet due and all overdue invoices are immediately due and payable;
 - (e) charge You a reasonable fee where any payment is dishonoured or returned by Your financial provider (or where We are otherwise unable to

process any payment from Your financial provider) at an amount advised by Us from time to time;

- (f) preclude You from participating in any special deals, discounts, bonus payments, redemptions, rebates and all other incentive programs until Your account is no longer overdue.
- 5.6 You agree to indemnify Us for:
- (a) all reasonable legal costs and other expenses which are incurred by Us or are likely to be incurred by Us as a result of any breach, act or omission by You arising either directly or indirectly from or in connection with these Conditions including legal fees on a solicitor/client basis in the recovery or attempted recovery of any overdue amount for Goods;
 - (b) any stamp duty or other government rates, taxes (including GST) or charges levied on or in connection with the Credit Account, any Contract for the supply of Goods and any deed of guarantee, indemnity and charge; and
 - (c) all costs associated with the registration, maintenance and withdrawal of any Security Interest which secures Your obligations under any part of the Credit Account, Contract and these Conditions.
- 5.7 The parties acknowledge and agree that:
- (a) We may apply any payment received from You towards any debt owed by You to Us;
 - (b) We may set-off any credit amount that We owe to You against any debt owed by You to Us; and
 - (c) You may not withhold payment of any money in respect of any set-off or claim You might have against us without Our prior written consent.

6. DELIVERY

- 6.1 We may make the Goods available for Your collection or deliver the Goods, including delivery by a third-party carrier and delivery by instalments. You will not be entitled to cancel the balance of an Order if We fail to deliver any instalment.
- 6.2 You authorise Us to deliver the Goods to the place nominated by You and to leave the Goods at such place whether or not any person is present to accept delivery. We are not obliged to obtain a signed receipt, signed delivery docket or other acknowledgement of the Goods from any person at the nominated place for delivery, but if such signature or acknowledgement is obtained from a person reasonably believed by Us to hold authority to sign for or otherwise take delivery of the Goods, then such signed receipt, signed delivery docket or other acknowledgement will be conclusive evidence of Your acceptance of the Goods delivered.
- 6.3 You must provide a suitable and safe area at the nominated delivery site to unload the Goods and ensure that Our (or Our agents, employees or contractors) use of the nominated delivery site is compliant with relevant work health and safety legislation.
- 6.4 All delivery times indicated by Us are estimates only and subject to the Goods being available and Our reasonable ability to make the delivery on that date. Failure to deliver within the specified time will not confer a right upon You to cancel or terminate Your Order or refuse to pay for the Goods.
- 6.5 Delivery of the Goods is deemed to occur when they are handed to You or Your representative, are delivered to the premises or site nominated by You, or are collected from Us by You or Your representative, whichever occurs first. We shall not be liable on any basis whatsoever for loss suffered by You after delivery of the Goods to You.
- 6.6 You agree to examine the Goods immediately after delivery.
- 6.7 You must pay and We reserve the right to charge You all costs and fees incurred as a result of:
 - (a) any delay in delivery of the Goods which is caused by You or the conditions of the nominated delivery site or the nature of the Goods being delivered;
 - (b) any unexpected labour or additional costs in connection with the delivery; and
 - (c) any permit or licence or other extraordinary costs of transporting or delivering Goods (including wide or long loads).
- 6.8 If You do not collect the Goods by the nominated collection date or we are unable to deliver the Goods to You, then We reserve the right to store the Goods or deliver the Goods to any nominated delivery site and charge You all costs of storage or delivery (as applicable) incurred by Us for such storage or delivery.
- 6.9 If You are collecting the Goods You acknowledge and agree that entry onto Our premises by You or Your agents, employees, contractors or other representatives is at Your/their own risk and We will not be liable for any loss, damage or injury caused by any act or omission whatsoever whilst on Our premises.
- 6.10 You agree to indemnify and hold Us harmless (or Our agents, employees or contractors) from any and all claims, loss and damage arising out of:
 - (a) delivery of the Goods (including any loss or damage caused by delivering the Goods to an unattended site and any loss or damage suffered by Us as a result of any property damage or personal injury caused by the delivery and unloading the Goods);
 - (b) Your or Your agent, employee, contractor or other representative's attendance at Our premises; and
 - (c) Your failure to provide a safe, suitable and compliant nominated delivery site in accordance with Clause 6.3,

except to the extent that We (or Our agents, employees or contractors) have committed an act of negligence, breach of the law or breach of the Contract.

7. RISK, TITLE AND CHARGE

- 7.1 Unless otherwise agreed by the parties in writing, all risk in the Goods passes to You upon delivery or collection of the Goods.
- 7.2 Title to any Goods supplied by Us will not pass to You until all amounts owing by You on any account whatsoever have been received by Us.
- 7.3 Until title in the Goods passes to You, the Goods supplied are held by You for Us as bailee and You must store the Goods separately from Your own Goods and those of any other party in a manner which clearly identifies the Goods as Our property and which ensures the Goods do not become damaged or spoiled.
- 7.4 You may resell any Goods before title in the Goods passes to You, provided that You:
 - (a) resell any such Goods to a third party in the ordinary course of business;
 - (b) act in any such transaction as Our fiduciary agent;
 - (c) hold the proceeds of sale of any such Goods on trust for Us and in a separate account with separate records; and
 - (d) account to Us in respect of those proceeds or any other payment made by a third party for any sale of the Goods and allow us to inspect any records of any payments.
- 7.5 We may repossess any Goods (wherever they are located) if any amount due by You in respect of the Goods remains unpaid after the Due Date or where You suffer an Insolvency Event.
- 7.6 You irrevocably grant to Us or Our agents or any other nominated representative an unrestricted right and licence without notice to enter any premises occupied by You to identify and repossess any of the Goods without in any way being liable to You or any other third party.
- 7.7 You must insure the Goods, and keep the Goods insured, at Your own cost and expense at all times to the full extent of the price paid or payable for those Goods, including (but not limited to) between the time that risk in the Goods passes to You and the date that title in the Goods passes to You.
- 7.8 You must indemnify Us in full for any loss or damage occasioned to the Goods between the time that risk in the Goods passes to You and the time that title in the Goods passes to You.
- 7.9 To secure payment of all monies owed to Us by You for the sale or supply of Goods, You hereby:
 - (a) charge all of Your interest in real and personal property (including all property acquired after the date of the Contract) in favour of Us whether or not a demand has been made on You ("**Charge**");
 - (b) authorise and consent to Us taking all actions necessary to give effect to the Charge, including the lodgement of a caveat upon any title of Your real property, whether held in Your own right or as trustee of any trust, or any other security document; and
 - (c) irrevocably appoint Us and any person nominated by Us severally as Your attorney, with power to execute, sign and deliver (which delivery may be subject to such terms and conditions as the attorney thinks fit) such caveat or other security document to effect the Charge granted under this part.

8. APPLICATION OF THE PPSA

- 8.1 You acknowledge and agree that:
 - (a) these Conditions constitute a security agreement for the purposes of the PPSA ("**Security Agreement**") and creates a security interest in the Goods supplied by Us from time to time and any proceeds of the sale of the Goods to secure payment for the Goods ("**Security Interest**");
 - (b) each sale or supply of Goods by Us under these Conditions is subject to the Security Agreement for the purposes of the PPSA; and
 - (c) We may lodge a financing statement on the Personal Property Securities Register ("**PPSR**") in respect of the Security Interest in the Goods and the proceeds of the sale of the Goods, including as a purchase money security interest (as that term is defined in the PPSA) ("**PMSI**"), pursuant to these Conditions.
- 8.2 You must do all such things, provide all such information and sign all such documents as are necessary and reasonably required to enable Us to acquire a perfected Security Interest in the Goods.
- 8.3 You must not change Your name, change Your structure, status or partnership, or assign or sell Your business to another party, or initiate any change to any registered documentation, or act in any manner which would impact on our registered Security Interest without Our prior written consent. No such event shall affect Your liability under these Conditions, as You are named in any applications for credit, until a new application for credit made in Your new entity name as restructured or changed is received and approved by Us in writing.
- 8.4 To the extent permitted by law if the PPSA applies You irrevocably waive Your rights to:
 - (a) receive notices or statements under sections 95, 118, 121(4), 129, 130, 132(2), 132(4) or 135(2);
 - (b) redeem any products under section 142;
 - (c) reinstate any Contract under section 143; or
 - (d) receive a verification statement as defined in the PPSA.

- 8.5 If the law which requires a period of notice or a lapse of time cannot be excluded, but the law provides that the period of notice or lapse of time may be agreed, that period or lapse is one day or the minimum period the law allows to be agreed (whichever is the longer).
- 8.6 You agree not to exercise Your rights to make any request of Us under section 275(6) of the PPSA, to authorise the disclosure of any information under that section or to waive any duty of confidence that would otherwise permit non-disclosure under that section.
- 8.7 The parties shall not disclose information of the kind mentioned in section 275(1) of the PPSA, except in the circumstances where:
- disclosure is required by sections 275(7)(b) to (e) of the PPSA; and/or
 - We disclose information of the kind mentioned in section 275(1) of the PPSA to the extent that We are not doing so in response to a request made by an "interested person" (as defined in section 275(9) of the PPSA) pursuant to section 275(1) of the PPSA.
- 8.8 Notwithstanding Clause 8.10(a), You shall only authorise the disclosure of information for the purposes of section 275(7)(c) of the PPSA, or request information under section 275(7)(d) of the PPSA, if We approve such disclosure or request for information in writing.
- 8.9 Nothing in this part will prevent any disclosure of information by Us that We believe is reasonably necessary to comply with any other obligations that We may have under the PPSA.
- 8.10 If You default in the timely performance of any obligation owed to Us, We may enforce the Security Interest by exercising all or any of Our rights under these Conditions, the general law and the PPSA.
- 8.11 Nothing in this Clause 8 limits or is limited by any other provision of these Conditions or any other agreement between the parties.

9. BUILDING PRODUCTS AND MANUFACTURE

- 9.1 No sale under these Conditions constitutes a sale by sample, description or specification. You acknowledge and agree that:
- all samples, descriptions, illustrations and any other specification contained in any of Our Price List, product and service guide, catalogue or advertising material are approximate and may vary from the Goods sold, supplied or produced (within Australian Standards);
 - You are liable for ensuring that the Goods are suitable for Your intended use; and
 - We are not liable to You for any loss, damage, cost or expense suffered by You as a result of Your reliance upon any such description, illustration, specification or any other characteristic of a sample except to the extent that We have committed an act of negligence, breach of law or breach of a Contract.
- 9.2 We are not obliged to accept any materials supplied by You for the manufacture of any Special Building Products. If We do accept such materials on Your request then You acknowledge and agree that:
- We make no warranty or representation as to the quality, fitness for purpose or suitability of such materials supplied by You; and
 - We are not liable for any failure, delay, loss or damage caused or in connection with any materials supplied by You or any Special Building Products which are manufactured from materials supplied by You.
- 9.3 Except where the Contract is a Consumer Contract or a Small Business Contract and to the extent permitted by law, You acknowledge and agree that:
- We will not be liable for any lack of fitness for purpose, property damage or personal injury caused by, or any other failure of Special Building Products;
 - any skill, judgment, advice, recommendation, information or assistance provided by Us in relation to Special Building Products is so provided in good faith and You do not rely on such skill, judgment, advice, recommendation, information or assistance as to the suitability of any particular purpose of Special Building Products; and
 - You will indemnify Us and hold Us harmless from any liability for any loss or damage caused to or suffered by You or any third party as a result of a Special Building Product.
- 9.4 We reserve the right to:
- charge You, or otherwise recover any cost We incur, for any testing or inspection of Special Building Products or Goods which are manufactured using materials supplied by You;
 - charge You, or otherwise recover any cost We incur, for Our acquisition and/or use of any tool, equipment, pattern, design, system or any other device of manufacture ("**Manufacturing Tools**") required to satisfy, complete or perform an Order made by You; and
 - hire Manufacturing Tools to You on agreed terms.
- 9.5 You acknowledge and agree that any charges, costs, payment for charges or costs, or agreement for hire does not vest in You any right of title or intellectual property in the Manufacturing Tools and You may not use the Manufacturing Tools without Our prior written consent.
- 9.6 You agree to indemnify Us and hold Us harmless against any claim, demand or suit arising out of any loss, damage or personal injury caused to You, Your agents or employees or any other third party, by a Manufacturing Tool provided by Us except to the extent that We have committed an act of negligence, breach of law or breach of the Contract.

10. WARRANTIES AND LIMITATION OF LIABILITY

- 10.1 If You are a Consumer as that term is defined under the Australian Consumer Law, Our Goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are entitled to have the Goods repaired or replaced if the Goods fail to be of acceptable quality and the failure does not amount to a major failure. The benefits provided to You under this Clause 10 are in addition to other rights and remedies available to You under the law.
- 10.2 You must notify Us of any claim in writing in accordance with the following terms:
- for any Goods that do not correspond with the applicable Order, within two (2) days of delivery or collection of those Goods;
 - for any Goods which are allegedly defective or damaged, or any services which are allegedly deficient, within two (2) days of delivery/ collection of those Goods or performance of the services (as applicable);
 - for any disputed invoice, within fourteen (14) days of receiving that invoice; and
 - You must take all steps necessary to mitigate any loss arising as a result of any defect in the Goods provided.
- 10.3 You acknowledge and agree that any failure by You to make a claim in accordance with the terms in Clause 10.2, or to mitigate any loss arising as a result of any defect, may result in Your deemed acceptance of the Goods (including any defects) in compliance with these Conditions.
- 10.4 To the extent permitted by the Australian Consumer Law and any other applicable law, all other conditions, guarantees or warranties (whether implied or otherwise) not set out in this Clause 10 are excluded. Nothing in this Clause 10 is to be interpreted as excluding, restricting or modifying any law or statute applicable to the supply of Goods which cannot be excluded, restricted or modified.
- 10.5 To the extent permitted by law, Our liability arising from the breach of such conditions, guarantees or warranties will (at Our option) be limited to and completely discharged in the case of Goods, either:
- the replacement or cost of replacement of the Goods; or
 - the supply or cost of supply of equivalent Goods; or
 - the repair or cost of repair of the Goods.
- 10.6 Except where the Contract is a Consumer Contract or Small Business Contract, You acknowledge and agree that We are not liable to You for:
- any indirect, special, economic or consequential loss, cost, damage or expense;
 - any other loss of a kind which is reasonably beyond the normal measure suffered by someone in a like situation; and
 - any loss of revenue, business profits, loss of expected savings, loss of chance or business opportunity, business interruption, loss or reduction of goodwill or damage to reputation or any loss of value or intellectual property.
- 10.7 Except where the Contract is a Consumer Contract or a Small Business Contract, You agree to indemnify Us for any reasonable loss, cost, damage or expense suffered by Us arising from or in connection with:
- any breach of these Conditions and/or the Contract by You;
 - any negligence committed by You under these Conditions and/or the Contract;
 - any breach of law by You which is applicable under these Conditions and/or the Contract;
 - the death or injury to any person or damage to any property arising from the performance by You of Your obligations under any Contract; and
 - any failure to install the Goods in accordance with their applicable installation instructions and manuals provided with the Goods or to operate the Goods in accordance with their applicable operation instructions and manuals provided with the Goods or in connection with Your negligence or the negligence of any third party, including in relation to the installation or operation of the Goods.
- 10.8 To the extent permitted by law, We will not be liable to You for:
- any loss or damage incurred by you as a result of delay in the performance or non-performance of any of Our obligations under these Conditions which is caused by any Force Majeure Event or otherwise occasioned by any cause whatsoever that is beyond Our reasonable control;
 - any defects caused by fair wear and tear of Goods; and
 - any defect caused by Your failure to:
 - install, assemble, handle and/or use Goods in accordance with relevant Australian Standards and standard building practices;
 - follow any instructions which we issue to You on sale or supply of the Goods; or
 - any other instructions for the installation, care and maintenance of Goods that We may issue to You or publish from time to time;
 - any failure of materials supplied by You for the purpose of Special Building Products, or any Special Building Products which are manufactured using materials supplied by You; or

- the cost of removing defective Goods (whether installed or otherwise) or the cost of installing replacement Goods.
- 10.9 You agree to bear all costs and expenses associated with making any claim under the Australian Consumer Law, except where We agree that the Goods do not comply with the statutory guarantees provided in that Act, in which case We will refund Your reasonable cost of returning the Goods to Us.

11. RETURN OF GOODS

- 11.1 Unless otherwise agreed by Us in writing, We will not accept the return of Goods.
- 11.2 Where We agree to accept return of any Goods, You must provide Your proof of purchase for the Goods to be returned and We reserve the right to charge You reasonable restocking, disposal or repacking charges which may be incurred by Us as a result of the Goods being returned.
- 11.3 You acknowledge and agree that the following Goods cannot be returned:
- any Goods which are not in original or resaleable condition; or
 - any Special Building Products, unless faulty. Any manufacturing surcharge for Special Building Products is non-refundable.

12. VARIATION AND DEFAULT

- 12.1 We may vary a Contract by notice in writing to You. If the Contract is a Consumer Contract or a Small Business Contract, then You may consider the variation and if not acceptable may elect not to proceed with the purchase of Goods ordered before the date of the variation but which are intended to be subject to the variation. If the Contract is not a Consumer Contract or a Small Business Contract, You agree that Goods delivered and services performed and/or ordered after the date of the notice of variation will be subject to the variation and acceptance of the Goods or services or the placing of the order will be deemed to be an acceptance of such varied terms and conditions.
- 12.2 The Contract (including these Conditions) may not be varied, altered or amended by You unless such variation, alteration or amendment is in writing and signed by or on behalf of Us.
- 12.3 We reserve the right in Our sole discretion to immediately:
- suspend or cancel delivery of Goods or any current Order(s) for the supply of Goods; and/or
 - suspend or terminate Your Credit Account; and/or
 - require immediate payment of the balance of any Credit Account, invoices or any other amounts due and payable whether or not the Due Date has expired; and/or
 - register a default with any credit reporting agency, where applicable; and/or
 - enforce Our rights under any Security Interest; and/or
 - suspend or terminate the Contract; where any of the following occurs:
 - any amounts payable for Goods remain unpaid after the Due Date; and/or
 - You exceed the limit of Your Credit Account; and/or
 - You breach a material term of the Contract; and/or
 - either of the parties suffer a Force Majeure Event which delays or prevents performance of the whole or any part of the Contract; and/or
 - You suffer an Insolvency Event; and/or
 - You allow distress to be levied or a judgment, order or security to be enforced, or to become enforceable against Your property including under the PPSA; and/or
 - any other circumstances where We are of the reasonable opinion that You are unable to pay Your debts as and when they fall due and payable or You have suffered a material adverse change in Your financial circumstances.
- 12.4 You are entitled to immediately terminate or suspend the whole or any part of the Contract, or Your Credit Account, where:
- the Contract is a Consumer Contract or Small Business Contract; and
 - We suffer an Insolvency Event and/or suffer a Force Majeure Event which delays or prevents performance of the whole or any part of the Contract and/or We commit a breach of a material term of the Contract.
- 12.5 You acknowledge and agree that on termination of the Contract We may recover from You the reasonable cost of materials or Goods acquired for the purpose of future Orders, delivery or supply of Goods to You.

13. NOTICES

- 13.1 Notices to be given by You to Us may be delivered personally or sent to the National Credit Manager at Our address at 1051 Nudgee Road Banyo, QLD, 4014 or sent by email to Credit@stramit.com.au and unless the contrary is proved the notice will be taken as delivered in the case of mail: on the fourth business day following posting and in the case of email: immediately provided no notification of sending error is received by You..
- 13.2 Notices to be given by Us to You may be delivered personally or sent by prepaid post to Your last known address or sent by email to Your last known email address and unless the contrary is proved the notice will be taken as delivered, in the case of mail: on the fourth business

day following posting and in the case of email: immediately provided no notification of sending error is received by Us. Invoices and statements are deemed to be received by You on the third business day after posting.

14. GOVERNING LAW

- 14.1 Each Contract will be governed by and construed according to the laws of the State or Territory of the place of delivery of the Goods and the parties submit to the exclusive jurisdiction of the courts of that State or Territory.

15. SEVERANCE, TRANSFER AND WAIVER

- 15.1 If any part of these Conditions (including any provision, part, paragraph, phrase or word) is illegal, invalid or unenforceable it will be read down so far as necessary to give it a valid and enforceable operation. If that is not possible, it will be severed from these Conditions without affecting the remaining provisions of these Conditions (which will remain in full force and effect).
- 15.2 Obligations and rights under these Conditions cannot be assigned or transferred to any third party without Our written consent.
- 15.3 The failure, delay or partial exercise of a party in exercising any right or remedy, or the granting of any indulgence by a party in favour of the other, under these Conditions does not prohibit, affect or constitute a waiver of the parties' rights and remedies against each other under these Conditions.

16. PRIVACY

- 16.1 You acknowledge and agree that We may collect personal information and credit information about You and Your directors, officers, partners and the Guarantors (each a "**Relevant Party**").
- 16.2 You warrant to Us that You have obtained the consent of each of the Relevant Parties to the collection, use and disclosure of their personal information and credit information by Us in accordance with this Clause 16 and Our Privacy Policy.
- 16.3 Our Privacy Policy, Credit Reporting Policy and Statement of Notifiable Matters available on our website at www.stramit.com.au/privacy-policy or upon request to Us, forms part of these Conditions.
- 16.4 Our website may be hosted, or some data may be stored, overseas. All personal information and credit information derived from Australia will still be treated in accordance with Our Privacy Policy while being stored overseas.
- 16.5 If We are unable to obtain all Your required personal and credit information, or if You do not provide all of the information that We request, We may reject or delay Your Credit Account application (including any application of a third party such as a guarantor), cease Our commercial relationship with You or choose not to provide You with Goods.

17. ELECTRONIC EXECUTION

- 17.1 Each party consents and agrees that this agreement may be executed and delivered:
- by any and all parties by way of electronic signature; and
 - by email or other electronic means and this has the same force and affect as delivery of an original document with original signatures.
- 17.2 If this agreement is executed by any party by way of electronic signature it must be considered an original and each party consents and agrees to be legally bound by this agreement's terms and conditions. Each party agrees that no certification authority or other third party verification is necessary to validate its electronic signature and that the lack of such certification or third party verification will not in any way affect the enforceability of its electronic signature or any resulting contract between the parties.
- 17.3 Each party must do all things and execute all documents necessary to give full effect to this agreement.



PRODUCT & SERVICE GUIDE 2024 (EFFECTIVE MARCH 2024 SUPERSEDES OCTOBER 2020)

NOTES



TASMANIA



stramit.com.au